

This index lets you scan the content of all six disks of Acland's DVD Atlas of Human Anatomy. Each location is given as a three-part number, showing first the disk number, then the title number, and chapter number.

The terms "title" and "chapter" are technical terms belonging to the terminology of the DVD format. Each disk is divided into titles. A title is one continuous piece of video. Each title is punctuated by chapters. A "chapter" is a defined starting point within a title. Many DVD-playing software programs let you navigate by title number and by chapter number. If your DVD-playing software does not let you do this, you can still use this index to identify the disk(s) on which a structure is shown. You can then play the appropriate disk and use its on-screen index to find the structure. The on-screen index for each disk lists every structure that is listed for that disk in this master index.

Many structures are shown on more than one disk. When one presentation of a structure is more helpful than another, it is marked with an asterisk; when they are essentially similar, there is no asterisk.

---

|                                      |                 |                                 |                 |
|--------------------------------------|-----------------|---------------------------------|-----------------|
| <b>A</b>                             |                 | Adductor brevis muscle          | 2.1.40          |
| Abdominal cavity                     | 3.3.44, 6.2.3*  | Adductor canal                  | 2.2.32          |
| Abducent nerve                       |                 | Adductor hallucis muscle        | 2.4.33          |
| and cavernous sinus                  | 5.3.6           | Adductor hiatus                 | 2.1.39          |
| dural opening                        | 5.3.5           | Adductor longus muscle          | 2.1.40          |
| emergence from medulla               | 5.2.35          | Adductor magnus muscle          | 2.1.38          |
| in orbit                             | 5.3.11          | Adductor pollicis muscle        | 1.5.19          |
| Abductor digiti minimi muscle (hand) | 1.5.21          | Adrenal (suprarenal) glands     | 6.3.64          |
| Abductor digiti minimi muscle (foot) | 2.4.35          | cortex and medulla              | 6.3.65          |
| Abductor hallucis muscle             | 2.4.33          | Ala (of ilium)                  | 2.1.6           |
| Abductor pollicis brevis muscle      | 1.5.20          | Alar cartilage                  | 4.3.38          |
| Abductor pollicis longus muscle      | 1.5.12          | Alar ligaments                  | 4.1.47          |
| Accessory nerve                      |                 | Alveoli                         | 6.1.69          |
| emerging from jugular foramen        | 5.3.58          | Anal canal                      | 6.2.51          |
| entering jugular foramen             | 5.3.55          | Anal sphincter                  |                 |
| in neck                              | 1.1.85, 5.3.64* | posterior view                  | 3.4.36          |
| Acetabular fossa                     | 2.1.25          | lateral view                    | 6.2.54          |
| Acetabulum                           |                 | Anatomic position               | 1.2.3           |
| dissected specimen                   |                 | Anconeus muscle                 | 1.3.12          |
| articular surface                    | 2.1.24          | Angle of mandible               | 4.4.6           |
| labrum                               | 2.1.26          | capsule                         | 2.3.14          |
| dry bones                            | 2.1.10*, 3.4.6  | deltoid ligament                | 2.3.13, 2.3.22* |
| Achilles tendon (calcaneal tendon)   | 2.3.31          | movements at                    | 2.3.3           |
| insertion                            | 2.3.34          | superior articular surface      | 2.3.9           |
| Acromioclavicular joint              |                 | Ankle joint                     | 2.3.11          |
| dissection                           | 1.1.18          | Anococcygeal ligament           | 3.4.32          |
| dry bones                            | 3.2.24          | Ansa cervicalis                 | 5.3.67          |
| Acromion                             | 1.1.14          | Antecubital vein                | 1.3.26          |
| Adam's apple (laryngeal prominence)  | 4.4.75          | Anterior abdominal wall muscles |                 |

|   |                |  |        |
|---|----------------|--|--------|
| actions                                 | 3.3.43         | Aortic plexus                              | 3.3.87 |
| role in expiration                      | 3.2.49         | Aortic valve                               | 6.1.36 |
| Anterior cerebral artery                |                | in action                                  | 6.1.39 |
| as part of arterial circle              | 5.4.22         | position in intact heart                   | 6.1.51 |
| from below                              | 5.4.24         | Appendix                                   | 6.2.32 |
| in longitudinal cerebral fissure        | 5.4.29         | Arachnoid cisterns                         | 5.2.17 |
| origin                                  | 5.4.14         | Arachnoid granulations                     | 5.4.41 |
| Anterior clinoid process                | 4.2.17         | Arachnoid membrane                         |        |
| Anterior communicating artery           |                | around brain                               | 5.2.15 |
| anterior view                           | 5.4.15         | around spinal cord                         | 3.1.49 |
| as part of arterial circle              | 5.4.22         | Arches of foot                             | 2.4.5  |
| from below                              | 5.4.24         | Arcuate line                               | 3.3.34 |
| Anterior cranial fossa                  | 5.2.5*, 4.2.12 | Areola                                     | 3.2.86 |
| bony details                            | 4.2.13         | Arterial circle                            |        |
| Anterior crural intermuscular septum    | 2.3.39         | from above                                 | 5.4.22 |
| Anterior jugular vein                   | 5.4.66         | from below                                 | 5.4.23 |
| Anterior longitudinal ligament          |                | Articular pillar (of cervical vertebra)    | 3.1.15 |
| cervical spine                          | 3.1.35         | Articular processes (of vertebra)          | 3.1.12 |
| lumbar spine                            | 4.1.42         | Aryepiglottic fold                         | 4.5.6  |
| Anterior nares (nostrils)               | 4.3.36         | Aryepiglottic muscle                       | 4.5.29 |
| Anterior nasal spine                    | 4.3.43         | Arytenoid cartilage(s)                     | 4.5.16 |
| Anterior primary ramus                  | 3.1.63         | features                                   | 4.5.17 |
| Anterior scalene muscle                 |                | movements                                  | 4.5.19 |
| showing origin and insertion            | 1.1.54         | Arytenoideus (transverse arytenoid) muscle | 4.5.28 |
| with subclavian artery, brachial plexus | 5.4.3          | Ascending cervical artery                  | 5.4.48 |
| Anterior superior alveolar nerves       | 5.3.27         | Ascending colon                            | 6.2.38 |
| Anterior superior iliac spine           | 2.1.7*, 3.3.11 | Ascending pharyngeal artery                | 5.4.55 |
| Anterior tibial artery                  | 2.3.55         | Atlanto-axial joint                        | 4.1.27 |
| at ankle                                | 2.4.42         | Atlanto-axial ligament                     | 4.1.50 |
| origin                                  | 2.3.52         | Atlanto-occipital joint                    | 4.1.26 |
| Antihelix                               | 5.6.4          | Atlanto-occipital ligament                 | 4.1.50 |
| Antitragus                              | 5.6.5          | Atlas vertebra                             | 4.1.30 |
| Anular ligament                         |                | anterior arch                              |        |
| alone                                   | 1.2.19         | dissected specimen                         | 4.3.57 |
| in intact joint                         | 1.2.17         | dry bones                                  | 4.3.32 |
| Anulus fibrosus                         | 3.1.30         | Atrial appendage (auricle)                 |        |
| Anulus tendineus                        | 5.5.16         | left                                       | 6.1.16 |
| Anus                                    | 3.4.37         | right                                      | 6.1.10 |
| Aorta                                   |                | Auditory ossicles, movements               | 5.6.37 |
| abdominal                               | 3.3.62         | Auditory tube                              |        |
| bifurcation                             | 3.3.63         | dissected specimen                         | 5.6.23 |
| thoracic                                | 3.2.52         | dry bones                                  | 4.2.41 |
| arch                                    | 3.2.54         | extent of bony tunnel                      | 5.6.21 |
| ascending                               | 3.2.53         | opening into tympanic cavity               | 5.6.20 |
| descending                              | 3.2.61         | opening into nasopharynx                   | 4.3.58 |
| root                                    | 6.1.42         | Auditory tube cartilage                    |        |
| sinuses                                 | 6.1.37         | lateral view                               | 5.6.24 |
| within pericardial sac                  | 6.1.55         | medial end                                 | 4.3.63 |
| Aortic opening                          | 3.2.39         | dry bones                                  | 4.3.31 |

|                         |        |                                      |                 |
|-------------------------|--------|--------------------------------------|-----------------|
| Auricle                 | 5.6.2  | and aortic arch                      | 3.2.57          |
| Auricular cartilage     | 5.6.6  | Brachiocephalic veins                | 3.2.67*, 5.4.63 |
| Auricularis muscle      | 5.1.21 | Brachioradialis muscle               | 1.3.8           |
| Auriculo-temporal nerve | 5.3.36 | Brain, overview                      | 5.2.2           |
| Axilla                  | 1.1.65 | Brainstem                            | 5.2.26          |
| Axillary artery         |        | Breast                               | 3.2.85          |
| at shoulder             | 1.1.65 | Broad ligament                       | 6.4.50          |
| in arm                  | 1.3.28 | component parts                      | 6.4.61          |
| Axillary nerve          | 1.1.79 | Bronchi, principal                   | 6.1.63          |
| Axillary vein           | 1.3.27 | isolated dissection                  | 6.1.75          |
| Axis vertebra           | 4.1.31 | Buccal fat pad                       | 5.1.6           |
| Azygos vein             | 3.2.70 | Buccal nerve                         | 5.3.35          |
|                         |        | Buccinator muscle                    | 4.4.51*, 5.1.5  |
|                         |        | and parotid duct                     | 4.4.64          |
|                         |        | Bulb of penis, and corpus spongiosum | 6.4.32          |
|                         |        | Bulb of vestibule                    | 6.4.70          |
|                         |        | Bulbo-spongiosus muscle              |                 |
|                         |        | female                               | 6.4.68          |
|                         |        | male                                 | 6.4.34          |
| <b>B</b>                |        | <b>C</b>                             |                 |
| Basilar artery          | 5.4.13 | Calcaneal tendon (achilles tendon)   | 2.3.31          |
| and brainstem           | 5.4.27 | insertion                            | 2.3.34          |
| Basilic vein            |        | Calcaneofibular ligament             | 2.3.23          |
| at elbow                | 1.3.25 | Calcaneonavicular ligament           | 2.3.20          |
| in forearm              | 1.5.25 | Calcaneus                            | 2.3.16          |
| Biceps brachii muscle   | 1.3.5  | sustentaculum tali                   | 2.3.17          |
| long head               | 1.3.6  | Calvaria                             | 5.1.13          |
| short head              | 1.3.6  | Canaliculus, upper and lower         | 5.5.41          |
| supinator action        | 1.3.16 | Capitate bone                        | 1.2.35          |
| tendon of origin        | 1.1.32 | Capsule of globe                     | 5.5.28          |
| Biceps femoris muscle   | 2.1.55 | Capsule of hip joint                 | 2.1.28          |
| Bicipital aponeurosis   | 1.3.7  | Carotid canal*                       | 4.2.40*, 5.4.8  |
| Bicipital groove        | 1.1.24 | and jugular foramen                  | 4.1.19          |
| Bladder                 |        | Carotid sheath                       | 4.5.4           |
| female                  | 6.3.74 | Carotid sinus                        | 5.4.6           |
| internal features       | 6.3.71 | Carpal bones                         | 1.2.31          |
| male                    | 6.3.70 | articulation with ulna/radius        | 1.2.34          |
| trigone                 | 6.3.72 | rows                                 | 1.2.32          |
| Bony pelvis             | 3.4.3  | Carpal tunnel                        |                 |
| orientation             | 3.4.4  | dissection                           | 1.4.24          |
| Brachial artery         | 1.3.28 | dry bones                            | 1.4.5           |
| proximal                | 1.1.66 | Carpometacarpal joints               |                 |
| Brachial plexus         |        | of fingers                           | 1.4.6           |
| cords                   | 1.1.72 | of thumb                             | 1.4.7           |
| divisions               | 1.1.71 | Cauda equina                         | 3.1.59          |
| introduction            | 1.1.69 | Cavernous sinus                      |                 |
| lateral cord            | 1.1.73 | lateral view                         | 5.4.42          |
| medial cord             | 1.1.74 |                                      |                 |
| posterior cord          | 1.1.75 |                                      |                 |
| roots                   | 1.1.70 |                                      |                 |
| trunks                  | 1.1.71 |                                      |                 |
| Brachial vein           | 1.3.27 |                                      |                 |
| Brachialis muscle       | 1.3.4  |                                      |                 |
| Brachiocephalic artery  | 1.1.62 |                                      |                 |

|                            |                 |  |                 |
|----------------------------|-----------------|--|-----------------|
| location                   | 5.2.21          | Circumflex humeral artery (ant. and post.) | 1.1.66          |
| posterior view             | 5.4.43          | Clavicle                                   | 1.1.8           |
| Cecum                      | 6.2.32          | in articulated skeleton                    | 1.1.4*, 3.4.25  |
| Celiac trunk               | 6.3.36          | surface anatomy                            | 1.1.3           |
| exposure                   | 6.3.35          | Clinoid processes                          | 5.2.20          |
| Central sulcus             | 5.2.55          | Clitoris                                   | 6.4.75          |
| Cephalic vein              |                 | crura                                      | 6.4.71          |
| at elbow                   | 1.5.24          | head                                       | 6.4.66          |
| at shoulder                | 1.1.55          | Coccygeus muscle                           | 3.1.4           |
| in arm                     | 1.3.25          | Coccyx                                     | 3.1.5           |
| Cerebellar peduncles       | 5.2.31          | Cochlear window                            | 5.6.26          |
| divided                    |                 | Colic flexure                              |                 |
| with brainstem             | 5.2.31          | left (splenic flexure)                     | 6.2.42          |
| with cerebellum            | 5.2.45          | right (hepatic flexure)                    | 6.2.39          |
| Cerebellum                 | 5.2.43          | Colliculus (arytenoid cartilage)           | 4.5.17          |
| Cerebral aqueduct          | 5.2.62          | Colon                                      | 6.2.34          |
| Cerebral hemisphere        | 5.2.48          | ascending                                  | 6.2.38          |
| frontal lobe               | 5.2.49          | descending                                 | 6.2.43          |
| occipital lobe             |                 | diverticuli                                | 6.6.36          |
| lateral view               | 5.2.49          | haustra                                    | 6.2.37          |
| medial view                | 5.2.57          | internal features                          | 6.2.37          |
| parietal lobe              | 5.2.56          | sigmoid                                    | 6.2.44          |
| temporal lobe              |                 | taeniae                                    | 6.2.35          |
| inferior view              | 5.2.58          | transverse                                 | 6.2.40          |
| lateral view               | 5.2.49          | Columella                                  | 4.3.39          |
| Cerebral peduncles         | 5.2.39          | Common bile duct                           | 6.3.24          |
| Cerebral veins             | 5.4.33          | Common carotid artery                      |                 |
| Cerebrum                   | 5.2.47          | in neck                                    | 5.4.5           |
| Cervical plexus            | 5.3.71          | entering lower neck                        | 5.4.3           |
| Cervical spine, movements  | 3.1.18*, 4.1.40 | left                                       | 3.2.59          |
| Cervical vertebra, typical | 3.1.15*, 4.1.28 | right                                      | 3.2.58          |
| articular pillar           | 3.1.15          | Common digital arteries                    | 1.5.34          |
| transverse foramen         | 3.1.17          | Common digital nerves                      | 1.5.41          |
| transverse process         | 3.2.21          | Common extensor tendon                     | 1.3.21          |
| Choanae (posterior nares)  |                 | Common facial vein                         | 5.4.62          |
| dissected specimen         | 4.3.56          | Common flexor tendon                       | 1.3.17          |
| dry bones, half skull      | 4.3.30          | Common hepatic artery                      | 6.3.39          |
| dry bones, whole skull     | 4.2.9           | Common hepatic duct                        | 6.3.22          |
| Chorda tympani nerve       |                 | Common iliac artery                        |                 |
| distal course              | 5.3.43          | anterior view                              | 2.1.67*, 3.3.71 |
| in tympanic cavity         | 5.6.39          | medial view                                | 3.4.48          |
| proximal course            | 5.3.51          | Common iliac vein                          | 2.1.65*, 3.3.75 |
| Chordae tendineae          |                 | Common interosseous artery                 | 1.5.30          |
| of mitral valve            | 6.1.32          | Common peroneal nerve                      | 2.4.28          |
| of tricuspid valve         | 6.1.24          | division                                   | 2.3.59          |
| Choroid plexus             | 5.2.61          | Compartments of leg                        | 2.3.36          |
| Ciliary nerves             |                 | Concha (external ear)                      | 5.6.3           |
| long                       | 5.3.16          | Conchae (turbinate bones)                  |                 |
| short                      | 5.3.9           | dissected specimen                         | 4.3.46          |

|   |        |                                     |        |
|---|--------|-------------------------------------|--------|
| dry bones                               |        | coronal section                     | 4.3.9  |
| posterior view                          | 4.2.11 | Cricoarytenoid muscle               |        |
| coronal section                         | 4.3.10 | lateral                             | 4.5.26 |
| Concomitant veins                       |        | posterior                           | 4.5.26 |
| of radial artery                        | 1.5.26 | Cricoid cartilage                   |        |
| of ulnar artery                         | 1.5.26 | in dissected specimen               | 4.5.3  |
| Condyle (condylar process) of mandible  | 4.4.7  | isolated, features                  | 4.4.79 |
| Confluence of sinuses                   | 5.4.38 | location                            | 4.4.73 |
| Conjoint tendon                         | 3.3.50 | movement                            | 4.5.13 |
| Conjunctiva                             | 5.5.30 | surface relationships               | 4.5.35 |
| Conjunctival fornix                     | 5.5.31 | Cricopharyngeus muscle              | 4.4.92 |
| Conoid ligament                         | 1.1.18 | Cricothyroid joint                  | 4.4.78 |
| Conus (infundibulum) of right ventricle | 6.1.27 | Cricothyroid membrane               | 4.5.14 |
| Conus elasticus                         | 4.5.22 | Cricothyroid muscle                 | 4.5.25 |
| Coracoacromial ligament                 | 1.1.17 | Crista galli                        |        |
| Coracobrachialis muscle                 | 1.1.38 | and falx cerebri                    | 5.2.12 |
| Coracoid process                        | 1.1.15 | coronal section                     | 4.3.21 |
| Cornea                                  | 5.5.11 | from above                          | 4.2.14 |
| Corniculate cartilage                   | 4.5.18 | Cruciate ligaments                  | 2.2.16 |
| Coronary artery                         |        | Cruciform ligament                  | 4.1.46 |
| left                                    | 6.1.45 | Cuboid bone                         | 2.3.15 |
| right                                   | 6.1.44 | Cuneiform bones                     | 2.3.15 |
| Coronary sinus                          | 6.1.46 | Cystic duct                         | 6.3.22 |
| opening                                 | 6.1.13 |                                     |        |
| Coronoid process (mandible)             | 4.4.8  | <b>D</b>                            |        |
| Corpus callosum                         |        | Dartos muscle                       | 6.4.4  |
| from above                              | 5.2.50 | Deep brachial artery                | 1.3.29 |
| side view                               | 5.2.51 | Deep circumflex iliac artery        | 3.3.74 |
| Corpus cavernosum                       |        | Deep femoral artery                 | 2.1.72 |
| continuity with crus of penis           | 6.4.33 | Deep inguinal ring                  | 3.3.54 |
| lateral view                            | 6.4.28 | Deep palmar arch                    | 1.5.35 |
| transverse section                      | 6.4.23 | Deep peroneal nerve                 | 2.3.61 |
| Corpus spongiosum                       |        | in foot                             | 2.4.47 |
| continuity with bulb of penis           | 6.4.32 | muscles supplied by                 | 2.3.62 |
| lateral view                            | 6.4.28 | Deep temporal fascia                | 5.1.14 |
| transverse section                      | 6.4.25 | Deep transverse metacarpal ligament | 1.4.8  |
| Corrugator supercilii muscle            | 5.1.19 | Deep transverse metatarsal ligament | 2.4.11 |
| Costal arch                             | 3.2.8  | Deltoid ligament                    | 2.3.22 |
| Costal cartilages                       | 3.2.6  | Deltoid muscle                      | 1.1.48 |
| Costal margin                           | 3.3.3  | Deltoid tuberosity                  | 1.1.26 |
| Costochondral junctions                 | 3.2.7  | Denticulate ligaments               | 3.1.56 |
| Costotransverse joint                   | 3.2.17 | Depressor anguli oris muscle        | 5.1.10 |
| Costovertebral joint                    | 3.2.16 | Depressor labii inferioris muscle   | 5.1.10 |
| Cranial cavity                          | 5.2.3  | Depressor supercilii muscle         | 5.1.19 |
| Cranium                                 |        | Descending colon                    | 6.4.23 |
| definition                              | 4.1.4  | Diaphragm                           |        |
| individual bones                        | 4.1.6  | action                              | 3.2.42 |
| Cremaster muscle                        | 3.3.58 | crua                                | 3.2.40 |
| Cribriform plate                        | 4.2.14 |                                     |        |

|                              |        |  |        |
|------------------------------|--------|--|--------|
| from below                   | 3.2.36 | in flexion                             | 1.2.16 |
| from below                   | 6.2.3  | radial collateral ligament             | 1.2.20 |
| line of origin               | 3.2.37 | ulnar collateral ligament              | 1.2.21 |
| openings in                  | 3.2.38 | Epicardial fat                         | 6.1.7  |
| Digastric muscle             | 4.4.32 | Epicranium                             | 5.1.16 |
| anterior belly               | 4.4.66 | Epididymis                             | 6.4.10 |
| posterior belly              | 4.4.60 | continuity with ductus deferens        | 6.4.12 |
| posterior view               | 4.4.84 | duct                                   | 6.4.11 |
| Digital arteries             | 1.5.34 | Epidural space                         | 3.1.50 |
| Digital nerves               |        | Epiglottic cartilage                   | 4.5.15 |
| common                       | 1.5.41 | Epiglottis                             | 4.3.3  |
| palmar                       | 1.5.42 | and superior laryngeal aperture        | 4.5.9  |
| Dorsal root ganglion         | 3.1.62 | Epiploic foramen                       | 6.2.24 |
| Dorsal scapular nerve        | 1.1.83 | Erector spinae muscles                 | 3.1.42 |
| Dorsalis pedis artery        | 2.4.42 | actions                                | 3.1.45 |
| Dorsum sellae                | 4.2.18 | and posterior abdominal wall           | 3.3.20 |
| dry bones                    | 5.6.11 | origin                                 | 3.1.44 |
| Ductus arteriosus            | 6.1.41 | Esophageal hiatus                      | 3.2.39 |
| Ductus deferens              |        | Esophageal hiatus, from below          | 6.2.7  |
| at internal inguinal ring    | 3.3.56 | Esophago-gastric junction              | 6.2.7  |
| ampulla                      | 6.4.19 | internal features                      | 6.2.12 |
| continuity with epididymis   | 6.4.12 | Esophagus                              | 3.2.62 |
| in inguinal canal            | 6.4.16 | proximal, with pharynx and larynx      | 4.5.5  |
| in pelvic side wall          | 6.4.17 | and inferior constrictor muscle        | 4.4.91 |
| in spermatic cord            | 6.4.15 | distal, in thorax                      | 6.1.77 |
| Duodenal papilla             | 6.3.25 | Ethmoid air cells                      |        |
| Duodenum                     |        | dissected specimen                     | 4.3.55 |
| development                  | 6.2.23 | dry bones                              |        |
| exposure                     | 6.2.21 | anterior view                          | 4.3.19 |
| internal features            | 6.3.24 | coronal section                        | 4.3.13 |
| suspensory ligament          | 6.2.25 | openings                               |        |
| Dura                         |        | dissected specimen                     | 4.3.51 |
| surrounding brain            |        | dry bones                              | 4.3.27 |
| from inside                  | 5.2.8  | Ethmoid bone                           | 4.3.20 |
| from outside                 | 5.2.18 | from above                             | 4.2.31 |
| surrounding spinal cord      |        | perpendicular plate                    | 4.3.14 |
| longitudinal view            | 3.1.51 | Ethmoidal nerves                       | 5.3.15 |
| transverse section           | 3.1.49 | Extensor carpi radialis brevis muscle  | 1.3.20 |
| around emerging spinal nerve | 3.1.61 | Extensor carpi radialis longus muscle  | 1.3.20 |
| Dural sac                    | 3.1.52 | Extensor carpi ulnaris muscle          | 1.3.20 |
|                              |        | Extensor digiti minimi muscle          | 1.5.9  |
|                              |        | Extensor digitorum brevis muscle       | 2.4.21 |
|                              |        | Extensor digitorum longus muscle (leg) | 2.4.20 |
|                              |        | Extensor digitorum muscle (forearm)    | 1.5.8  |
|                              |        | Extensor hallucis brevis muscle        | 2.4.21 |
|                              |        | Extensor hallucis longus muscle        | 2.4.19 |
|                              |        | Extensor indicis muscle                | 1.5.10 |
|                              |        | Extensor mechanism (finger)            | 1.4.28 |
|                              |        | central slip                           | 1.4.30 |

## E

|                                     |                 |   |        |
|-------------------------------------|-----------------|---|--------|
| hood                                | 1.4.29          | Fascia of leg                                 | 2.3.36 |
| lateral bands                       | 1.4.30          | Female reproductive organs                    |        |
| Extensor pollicis brevis muscle     | 1.5.12          | in living body                                | 6.4.64 |
| Extensor pollicis longus muscle     | 1.5.12          | in situ, lateral view                         | 6.4.56 |
| Extensor retinaculum (wrist)        | 1.4.26          | isolated dissection                           | 6.4.47 |
| Extensor retinaculum (ankle)        | 2.3.24          | Femoral artery                                | 2.1.69 |
| External auditory meatus            |                 | in adductor canal                             | 2.2.42 |
| dry bones                           | 4.1.17          | Femoral nerve                                 | 2.1.77 |
| dry bones                           | 5.6.11          | Femoral triangle                              | 2.1.60 |
| cartilage                           | 5.6.10          | Femoral vein                                  | 2.2.42 |
| external ear intact                 | 5.6.2           | Femur   | 2.1.15 |
| external ear removed                | 5.6.8           | adductor tubercle                             | 2.2.4  |
| External carotid artery             | 5.4.49          | condyles                                      | 2.2.2  |
| terminal branches                   | 5.4.56          | epicondyles                                   | 2.2.3  |
| External iliac artery               | 2.1.68*, 3.3.72 | head  | 2.1.16 |
| External iliac vein                 | 2.1.64*, 3.3.75 | ligament of                                   | 2.1.27 |
| External intercostal muscles        | 3.2.43          | intercondylar notch                           | 2.2.2  |
| action                              | 3.2.44          | linea aspera                                  | 2.1.20 |
| External jugular vein               | 5.4.65          | neck of                                       | 2.1.16 |
| External nose                       | 4.3.35          | trochanters                                   | 2.1.17 |
| External oblique aponeurosis        | 2.1.59          | Fibrocartilage, triangular                    | 1.2.29 |
| External oblique muscle             | 3.3.41          | Fibrous septa of leg                          | 2.3.37 |
| aponeurosis                         | 3.3.42          | distal  | 2.3.5  |
| in inguinal region                  | 3.3.51          | head  | 2.2.9  |
| External occipital protuberance     | 4.1.12          | neck  | 2.2.9  |
| External pudendal artery            | 2.1.70          | proximal                                      | 2.2.8  |
| External spermatic fascia           | 3.3.59          | Fibula  | 2.2.5  |
| Extra-ocular muscles                |                 | Fimbriae                                      | 6.4.58 |
| actions                             | 5.5.18          | Fingernail                                    | 1.5.29 |
| fibrous sheaths                     | 5.5.26          | bed   | 1.5.53 |
| Eyelids                             | 5.5.29          | lunula  | 1.5.54 |
| <b>F</b>                            |                 | Flexor accessorius muscle (quadratus plantae) | 2.4.29 |
| Facial artery                       | 5.4.52          | Flexor carpi radialis muscle                  | 1.3.17 |
| Facial canal                        | 5.3.47          | tunnel for tendon                             | 1.4.25 |
| Facial nerve                        |                 | Flexor carpi ulnaris muscle                   | 1.3.17 |
| and parotid gland                   | 4.4.61          | Flexor digiti minimi brevis muscle (foot)     | 2.4.34 |
| trunk                               | 4.4.59*, 5.3.52 | Flexor digiti minimi muscle (hand)            | 1.5.21 |
| branches                            | 5.3.52          | Flexor digitorum brevis muscle                | 2.4.34 |
| emergence from medulla              | 5.2.35          | tendon, at MP joint                           | 2.4.32 |
| entering internal auditory meatus   | 5.3.46          | Flexor digitorum longus muscle                | 2.4.23 |
| genu                                | 5.3.49          | tendon, in foot                               | 2.4.26 |
| in facial canal                     | 5.3.48          | Flexor digitorum profundus muscle             | 1.5.5  |
| Facial skeleton, principal features | 4.2.2           | tendons                                       | 1.5.7  |
| Falciform ligament                  | 6.3.5           | Flexor digitorum superficialis muscle         | 1.5.6  |
| Fallopian (uterine) tube            | 6.4.57          | tendon  | 1.5.7  |
| Falx cerebri                        | 5.2.11          | Flexor hallucis brevis muscle                 | 2.4.31 |
| Fascia lata                         | 2.1.45          | Flexor hallucis longus muscle                 | 2.4.22 |
|                                     |                 | tendon  | 2.4.25 |
|                                     |                 | Flexor pollicis brevis muscle                 | 1.5.20 |

|                               |                |  |                 |
|-------------------------------|----------------|--|-----------------|
| Flexor pollicis longus muscle | 1.5.11         | Gastrocnemius muscle                   | 2.3.30          |
| Flexor retinaculum (hand)     | 1.4.23         | action                                 | 2.3.35          |
| Flexor retinaculum (ankle)    | 2.3.26         | at knee                                | 2.2.38          |
| Flexor tendon sheath (finger) | 1.4.27         | Gastro-colic ligament                  | 6.2.18          |
| Flexor tendon sheath (toe)    | 2.4.14         | Gastro-duodenal artery                 | 6.3.39          |
| Foramen cecum                 | 4.3.48         | Gastro-epiploic artery                 |                 |
| Foramen lacerum               | 4.2.39         | left                                   | 6.3.42          |
| Foramen magnum                |                | right                                  | 6.3.40          |
| from above                    | 4.1.22, 5.2.7* | Gastro-splenic ligament                | 6.3.28          |
| from below                    | 4.1.8          | Gemellus inferior muscle               | 2.1.36          |
| Foramen ovale                 |                | Gemellus superior muscle               | 2.1.36          |
| dry bones                     | 4.2.38         | Genicular arteries                     | 2.2.44          |
| and mandibular nerve          | 5.3.32         | inferior                               | 2.2.44          |
| Foramen rotundum              |                | superior                               | 2.2.44          |
| dry bones                     | 4.2.37         | Genioglossus muscle                    | 4.4.39          |
| and maxillary nerve           | 5.3.23         | Geniohyoid muscle                      | 4.4.30          |
| Foramen spinosum              | 4.2.38         | Genitofemoral nerve                    | 3.3.84          |
| Forearm movements             | 1.2.4          | Gingivae (gums)                        | 4.4.44          |
| Forearm muscles, overview     | 1.5.14         | Glenoid fossa                          | 1.1.11          |
| Fossa ovale                   |                | Glenoid labrum                         | 1.1.16          |
| from inside left atrium       | 6.1.18         | Glossopharyngeal nerve                 |                 |
| from inside right atrium      | 6.1.13         | distal course                          | 5.3.59          |
| Fourth ventricle              |                | emergence from medulla                 | 5.2.33          |
| floor                         | 5.2.28         | emerging from jugular foramen          | 5.3.58          |
| lateral aperture              | 5.2.63         | entering jugular foramen               | 5.3.54          |
| lateral wall                  | 5.2.62         | Gluteus maximus muscle                 | 2.1.56*, 3.4.44 |
| medial aperture               | 5.2.63         | Gluteus medius muscle                  | 2.1.44          |
| model                         | 5.2.25         | Gluteus minimus muscle                 | 2.1.43          |
| roof                          | 5.2.46         | Gracilis muscle                        | 2.1.42          |
| Frenum (tongue)               | 4.4.36         | at knee                                | 2.2.35          |
| Frontal bone                  | 4.2.20         | Great cerebral vein                    | 5.4.34          |
| Frontal lobe (cerebrum)       | 5.2.29         | joining straight sinus                 | 5.4.37          |
| Frontal nerve                 | 5.3.14         | Greater (long) saphenous vein          | 2.1.62          |
| Frontal sinus                 |                | Greater auricular nerve                | 5.3.74          |
| dissected specimen            | 4.3.53         | Greater occipital nerve                | 5.3.76          |
| dry bones                     | 4.3.16         | Greater omentum                        | 6.2.17          |
| opening                       |                | attachment to greater curve of stomach | 6.2.15          |
| dissected specimen            | 4.3.51         | development                            | 6.2.19          |
| dry bones                     | 4.3.25         | Greater palatine nerve                 | 5.3.29          |
| Frontalis muscle              | 5.1.18         | Greater petrosal nerve                 | 5.3.51          |
| Frontonasal duct              | 4.3,25         | Greater sciatic foramen                | 2.1.22, 3.4.17* |
|                               |                | Greater sciatic notch                  | 2.1.8           |
|                               |                | Greater vestibular gland               | 6.4.72          |
|                               |                | Gyri and sulci                         | 5.2.53          |
| <b>G</b>                      |                |  |                 |
| Galea                         | 5.1.17         |  |                 |
| Gall bladder                  | 6.3.23         | <b>H</b>                               |                 |
| Gastric artery                |                | Hamate bone                            | 1.2.35          |
| left                          | 6.3.37         | hook                                   | 1.4.5           |
| right                         | 6.3.40         |  |                 |

|                                     |              |                                |                 |
|-------------------------------------|--------------|--------------------------------|-----------------|
| Hamstring muscles                   |              | Hypogastric nerve(s)           | 3.4.60          |
| as hip extensors                    | 2.1.52       | Hypoglossal canal              |                 |
| as knee flexors                     | 2.2.33       | from inside cranium            | 4.1.25, 5.3.57  |
| as rotators at knee joint           | 2.2.34       | from outside cranium           | 4.1.20          |
| Hamulus                             | 4.2.30       | Hypoglossal nerve              |                 |
| medial view                         | 4.3.30       | descending branch              | 5.3.66          |
| Hard palate                         |              | emergence from medulla         | 5.2.33          |
| dry bones                           |              | entering hypoglossal canal     | 5.3.56          |
| coronal section                     | 4.3.6        | in neck                        | 5.3.65          |
| from below                          | 4.2.10       | Hypopharynx                    | 4.3.2           |
| in living body                      | 4.4.46       | Hypophysis (pituitary gland)   | 5.2.66          |
| Heart                               |              | Hypothalamus                   | 5.2.66          |
| arrangement of chambers             | 6.1.6        | Hypothernar eminence           | 1.2.51          |
| exposure from in front              | 6.1.52       |                                |                 |
| external features, overview         | 6.1.47       | <b>I</b>                       |                 |
| intact, with epicardial fat removed | 6.1.7        | Ileo-cecal valve               | 6.2.30          |
| position                            | 6.1.5        | internal features              | 6.2.33          |
| anatomy                             | 6.1.4        | Ileo-colic artery              | 6.3.44          |
| within pericardial sac              | 6.1.54       | Ileum                          | 6.2.26          |
| Helix                               | 5.6.3        | Iliac crest                    | 2.1.6, 3.3.11   |
| Hemiazygos veins                    | 3.2.71       | Iliacus fascia                 | 3.3.46          |
| Hepatic (right hepatic) flexure     | 6.2.39       | in iliac fossa                 | 3.3.26          |
| Hepatic artery                      | 6.3.39       | Iliacus muscle                 | 2.1.49*, 3.3.24 |
| Hepatic ducts                       | 6.3.22       | Iliococcygeus muscle           | 3.4.28          |
| Hepatic veins                       |              | Iliocostalis lumborum muscle   | 3.1.43          |
| with inferior vena cava             | 3.3.79       | Iliofemoral ligament           | 2.1.29          |
| with liver                          | 6.3.15       | Iliohypogastric nerve          | 3.3.83          |
| Hepato-duodenal ligament            | 6.3.23       | Ilioinguinal nerve             | 3.3.83          |
| Hip bone                            | 2.1.5, 3.3.7 | Iliopsoas muscle               | 3.3.25          |
| Hip joint                           |              | Iliotibial tract               | 2.1.46          |
| capsule                             | 2.1.28       | Ilium                          | 2.1.5, 3.3.8    |
| movements of                        | 2.1.30       | ala                            | 2.1.6, 3.3.8    |
| Humerus                             |              | anterior superior iliac spine  | 2.1.7, 3.3.11   |
| capitulum                           | 1.2.7        | auricular surface              | 3.3.10          |
| distal                              | 1.2.6        | iliac crest                    | 2.1.6, 3.3.11   |
| epicondyles                         | 1.2.6        | iliac fossa                    | 3.3.9           |
| greater tubercle                    | 1.1.25       | posterior superior iliac spine | 2.1.7, 3.3.11   |
| head                                | 1.1.23       | Incus                          |                 |
| in articulated skeleton             | 1.1.5        | dissected specimen             | 5.6.32          |
| lesser tubercle                     | 1.1.25       | dry bone                       | 5.6.33          |
| olecranon fossa                     | 1.2.8        | Inferior alveolar nerve        |                 |
| proximal                            | 1.1.22       | in mandibular canal            | 5.3.39          |
| trochlea                            | 1.2.7        | proximal course                | 5.3.37          |
| Hyoglossus muscle                   |              | Inferior cerebellar arteries   |                 |
| in situ                             | 4.4.68       | and brainstem                  | 5.4.28          |
| isolated dissection                 | 4.4.40       | anterior                       | 5.4.17          |
| Hyoid bone                          |              | posterior                      | 5.4.17          |
| features                            | 4.4.28       | Inferior colliculi             | 5.2.37          |
| location                            | 4.4.27       |                                |                 |

|   |                 |                                     |                 |
|---|-----------------|-------------------------------------|-----------------|
| Inferior constrictor muscle             | 4.4.90          | from inside left atrium             | 6.1.18          |
| Inferior epigastric artery              | 3.3.80          | from inside right atrium            | 6.1.13          |
| origin                                  | 3.3.74          | posterior view                      | 6.1.11          |
| Inferior genicular arteries             | 2.2.44          | Intercostal nerves                  | 3.2.79          |
| Inferior gluteal artery                 | 2.1.74*, 3.4.49 | in anterior abdominal wall          | 3.3.82          |
| Inferior gluteal nerve                  | 2.1.82          | Internal auditory meatus            | 4.1.25, 5.3.47* |
| Inferior meatus                         | 4.3.11          | Internal carotid artery             |                 |
| Inferior medullary velum                | 5.2.30          | in cavernous sinus                  | 5.4.9           |
| Inferior mesenteric artery              | 6.3.46          | in neck                             | 5.4.7           |
| Inferior mesenteric vein                | 6.3.50          | passing through dura                | 5.4.10          |
| Inferior nuchal line                    | 4.1.12          | Internal carotid nerve              | 5.3.70          |
| Inferior oblique muscle                 |                 | Internal iliac artery               | 2.1.68          |
| anterior view                           | 5.2.22          | Internal iliac vein                 | 2.1.65          |
| from above                              | 5.5.23          | Internal intercostal muscles        | 3.2.47          |
| Inferior orbital fissure                | 4.2.23, 5.3.19  | action                              | 3.2.48          |
| Inferior pelvic aperture                | 3.4.18          | Internal jugular vein               | 1.1.57, 5.4.61* |
| Inferior rectus muscle                  |                 | lower part                          | 3.2.65          |
| anterior view                           | 5.5.17          | and sternocleidomastoid muscle      | 5.4.64          |
| from above                              | 5.5.15          | Internal oblique muscle             | 3.3.39          |
| Inferior sagittal sinus                 | 5.4.35          | aponeurosis                         | 3.3.40          |
| Inferior thoracic aperture              | 3.2.11          | in inguinal region                  | 3.3.49          |
| Inferior thyroid artery                 | 5.4.47          | Internal pudendal artery            | 3.4.54          |
| Inferior vena cava                      |                 | Internal spermatic fascia           | 3.3.57          |
| behind liver                            | 6.3.14          | Internal thoracic artery            | 3.2.60*, 5.4.4  |
| entering right atrium                   | 6.1.9           | Internal urethral meatus            | 6.3.71          |
| in abdomen                              | 3.3.76          | Interosseous membrane (forearm)     | 1.2.10          |
| above diaphragm                         | 3.2.69          | Interosseous membrane (leg)         | 2.3.6           |
| within pericardial sac                  | 6.1.56          | Interosseous muscles (hand)         | 1.5.16          |
| Infraglenoid tubercle                   | 1.1.12          | tendons                             | 1.5.17          |
| Infra-orbital nerve                     | 5.3.25          | Interosseus muscles (foot)          | 2.4.27          |
| Infraspinatus muscle                    | 1.1.35          | Interosseous talocalcaneal ligament | 2.3.23          |
| Infraspinous fossa                      | 1.1.13          | Interphalangeal joints (fingers)    | 1.4.15          |
| Infrasternal angle                      | 3.2.9           | bones                               | 1.4.16          |
| Infratemporal fossa                     |                 | capsule                             | 1.4.17          |
| dry bones                               | 4.2.7           | collateral ligaments                | 1.4.17          |
| with zygomatic arch removed             | 5.3.18          | movements                           | 1.4.15          |
| dissected specimen                      | 5.3.20          | Interspinous ligaments              | 3.1.32          |
| Infratrochlear nerve, dissection        | 5.3.15          | Interventricular foramen            | 5.2.61          |
| Infundibulo-pelvic ligament             | 6.4.62          | Interventricular septum             |                 |
| Infundibulum (nasal cavity)             | 4.3.50          | from inside left ventricle          | 6.1.29          |
| Infundibulum (stalk of pituitary)       | 5.2.66          | from inside right ventricle         | 6.1.22          |
| divided, from below                     | 5.2.64          | in cross section                    | 6.1.30          |
| Infundibulum of right ventricle (conus) | 6.1.27          | Intervertebral (posterior) joints   |                 |
| Inguinal canal                          | 3.3.53*, 6.4.16 | dissected specimen                  | 3.1.37          |
| Inguinal ligament                       | 2.1.59          | dry bones                           | 3.1.13          |
| details                                 | 3.3.47          | Intervertebral disk                 |                 |
| introduction                            | 3.3.19          | cervical spine                      | 3.1.29          |
| Innominate bone (hip bone)              | 2.1.5, 3.3.7    | lumbar spine                        | 4.1.39          |
| Inter-atrial septum                     |                 | Intervertebral foramen              |                 |

|                                  |               |                                     |        |
|----------------------------------|---------------|-------------------------------------|--------|
| dissected specimen               | 3.1.31        | cruciate                            | 2.2.16 |
| dry bones                        | 3.1.13        | anterior                            | 2.2.16 |
| Intervertebral joints            |               | posterior                           | 2.2.18 |
| dissected specimen               | 4.1.38        | medial meniscus                     | 2.2.14 |
| dry bones                        | 4.1.29        | menisci                             | 2.2.13 |
| Intrinsic hand muscles, overview | 1.5.23        | quadriceps bursa                    | 2.2.23 |
| Investing deep fascia (leg)      | 2.3.36        | rotation at                         | 2.2.20 |
| Iris                             | 5.5.12        |                                     |        |
| Ischial spine                    | 2.1.8         |                                     |        |
| Ischial tuberosity               | 2.1.9         | <b>L</b>                            |        |
| Ischio-cavernosus muscle         |               | Labia majora                        | 6.1.66 |
| female                           | 6.4.69        | Labia minora                        | 6.4.66 |
| male                             | 6.4.34        | Labyrinthine artery                 | 5.4.18 |
| Ischiofemoral ligament           | 2.1.29        | Lacrimal bone                       | 4.2.32 |
| Ischiopubic ramus                | 2.1.12        | Lacrimal crest                      |        |
| medial view                      | 3.4.9         | anterior                            | 5.5.8  |
| Ischiorectal fossa               | 3.4.27        | posterior                           | 5.5.8  |
| contents                         | 3.4.43        | Lacrimal fossa                      | 5.5.39 |
| Ischium                          | 2.1.5, 3.4.7* | Lacrimal gland                      | 5.5.39 |
| tuberosity                       | 2.1.9, 3.4.7* | Lacrimal groove                     | 5.5.7  |
| body                             | 3.4.7         | Lacrimal nerve                      | 5.3.15 |
| spine                            | 3.4.7         | Lacrimal sac                        | 5.5.42 |
| Jejuno-ileum                     | 6.2.26        | Lactiferous duct                    | 3.2.87 |
| Jejunum                          | 6.2.26        | Lacunae                             | 5.4.36 |
| internal features                | 6.2.29        | Lacunar ligament                    | 3.3.48 |
|                                  |               | Lamina (of typical vertebra)        | 3.1.9  |
|                                  |               | Lamina papyracea                    | 4.3.22 |
|                                  |               | Laryngeal prominence (Adam's apple) | 4.4.75 |
|                                  |               | Larynx, in living body              | 4.5.11 |
|                                  |               | Lateral circumflex femoral artery   | 2.1.73 |
|                                  |               | Lateral cutaneous nerve of forearm  | 1.3.33 |
|                                  |               | Lateral cutaneous nerve of thigh    | 3.3.84 |
|                                  |               | Lateral geniculate body             | 5.2.50 |
|                                  |               | Lateral malleolus                   | 2.3.8  |
|                                  |               | Lateral meniscus                    | 2.2.14 |
|                                  |               | Lateral nasal cartilage             | 4.3.38 |
|                                  |               | Lateral palpebral ligament          |        |
|                                  |               | and tarsus                          | 5.5.36 |
|                                  |               | from above                          | 5.5.27 |
|                                  |               | Lateral pectoral nerve              | 1.1.77 |
|                                  |               | Lateral plantar artery              | 2.4.44 |
|                                  |               | Lateral plantar nerve               | 2.4.50 |
|                                  |               | Lateral pterygoid muscle            | 4.4.21 |
|                                  |               | Lateral pterygoid plate             | 4.2.8  |
|                                  |               | Lateral rectus muscle               |        |
|                                  |               | anterior view                       | 5.5.17 |
|                                  |               | from above                          | 5.5.14 |
|                                  |               | Lateral sulcus                      | 5.2.54 |
|                                  |               | Lateral thoracic artery             | 1.1.65 |
| <b>J</b>                         |               |                                     |        |
| Jugular foramen                  |               |                                     |        |
| from above                       | 4.1.24        |                                     |        |
| from above and below             | 5.3.57        |                                     |        |
| from below                       | 4.1.19        |                                     |        |
| <b>K</b>                         |               |                                     |        |
| Kidney                           |               |                                     |        |
| collecting tubules               | 6.3.63        |                                     |        |
| hilum                            | 6.3.58        |                                     |        |
| longitudinal section             | 6.3.62        |                                     |        |
| Kidneys, surface anatomy         | 6.3.55        |                                     |        |
| Knee joint                       |               |                                     |        |
| capsule                          | 2.2.24        |                                     |        |
| introduction                     | 2.2.12        |                                     |        |
| lateral meniscus                 | 2.2.14        |                                     |        |
| ligaments                        | 2.2.15        |                                     |        |
| collateral                       | 2.2.19        |                                     |        |
| fibular                          | 2.2.19        |                                     |        |
| tibial                           | 2.2.19        |                                     |        |

|                                      |                 |                                    |        |
|--------------------------------------|-----------------|------------------------------------|--------|
| Lateral thyrohyoid ligament          | 4.4.77          | Lingual artery                     | 5.4.51 |
| Lateral ventricles                   | 5.2.60          | Lingual nerve                      |        |
| Latissimus dorsi muscle              | 1.1.47          | distal course                      | 5.3.42 |
| Left atrium                          | 6.1.15          | proximal course                    | 5.3.37 |
| internal features                    | 6.1.17          | Lingula                            | 4.4.14 |
| Left colic (splenic) flexure         | 6.2.42          | and inferior alveolar nerve        | 5.3.39 |
| Left colic artery                    | 6.3.47          | Liver                              |        |
| Left ventricle                       | 6.1.20          | bare area                          | 6.3.11 |
| in cross section                     | 6.3.10          | caudate lobe                       | 6.3.18 |
| internal features                    | 6.1.28          | coronary ligament                  | 6.3.9  |
| outflow tract                        | 6.1.34          | exposure                           | 6.3.3  |
| Leg (definition)                     | 2.1.2           | in isolation, anterior view        | 6.3.5  |
| Lens                                 | 5.5.13          | in isolation, posterior view       | 6.3.6  |
| Lesser occipital nerve               | 5.3.76          | in situ                            | 6.3.4  |
| Lesser omentum                       | 6.2.15          | left lobe, anterior view           | 6.3.10 |
| attachment to liver                  | 6.3.13          | left lobe, posterior view          | 6.3.17 |
| development                          | 6.2.19          | peritoneal attachments             | 6.3.7  |
| free border                          | 6.2.24          | quadrate lobe                      | 6.3.18 |
| Lesser palatine nerve                | 5.3.29          | right lobe, anterior view          | 6.3.10 |
| Lesser sac (omental bursa)           |                 | right lobe, posterior view         | 6.3.18 |
| development                          | 6.2.19          | surface anatomy                    | 6.3.2  |
| seen through gastro-colic ligament   | 6.2.18          | triangular ligaments               | 6.3.12 |
| seen through gastro-splenic ligament | 6.3.29          | Lobule                             | 5.6.27 |
| seen through lesser omentum          | 6.2.16          | Long (greater) saphenous vein      | 2.1.62 |
| Lesser sciatic foramen               | 2.1.22, 3.4.17* | Long ciliary nerves                | 5.3.16 |
| Lesser sciatic notch                 | 2.1.8           | Long plantar ligament              | 2.4.8  |
| Levator anguli oris muscle           | 5.1.8           | relation to peroneus longus tendon | 2.4.9  |
| Levator ani muscle                   |                 | Long saphenous vein                |        |
| from above                           | 3.4.30          | at ankle                           | 2.4.41 |
| from below, female,                  | 6.4.74          | in leg                             | 2.3.48 |
| from below, male                     | 6.4.37          | in thigh                           | 2.2.41 |
| lateral view                         | 6.2.50          | Long thoracic nerve                | 1.1.84 |
| right side alone                     | 3.4.26          | Longissimus cervicis muscle        | 3.1.46 |
| Levator labii superioris muscle      | 5.1.8           | Longissimus thoracis muscle        | 3.1.43 |
| Levator palati muscle                | 4.3.61          | Longitudinal cerebral fissure      | 5.2.48 |
| Levator palpebrae superioris muscle  |                 | Longus capitis muscle              | 4.1.55 |
| from above                           | 5.5.24          | and pharynx                        | 4.4.82 |
| insertion                            | 5.5.38          | Longus cervicis muscle             | 4.1.55 |
| Levator scapulae muscle              | 1.1.40*, 4.1.59 | and pharynx                        | 4.4.82 |
| Lieno-renal ligament                 | 6.3.31          | Lumbar arteries                    | 3.3.69 |
| Ligamentum arteriosum                | 3.2.55          | Lumbar plexus                      | 2.1.76 |
| Ligamentum flavum                    |                 | Lumbar spine, movements            | 3.1.24 |
| cervical spine                       | 3.1.34          | Lumbar vertebra, features          | 3.1.23 |
| lumbar spine                         | 4.1.49          | Lumbosacral trunk                  | 3.4.57 |
| Ligamentum nuchae                    | 4.1.41          | Lumbrical muscles (foot)           | 2.4.28 |
| Ligamentum teres                     | 6.3.8           | Lumbrical muscles (hand)           | 1.5.18 |
| Ligamentum venosum                   | 6.3.16          | Lunate bone                        | 1.2.33 |
| Linea alba                           | 3.3.36          | Lungs                              |        |
| Linea aspera                         | 2.1.20          | alone                              | 6.1.62 |

|                                |                 |                                  |                 |
|--------------------------------|-----------------|----------------------------------|-----------------|
| in situ                        | 3.2.32, 6.1.66* | dissected specimen               | 4.3.51          |
| lobes                          | 6.1.64          | dry bones                        | 4.3.24          |
| medial surfaces                | 6.1.72          | Medial circumflex femoral artery | 2.1.73          |
| posterior view                 | 6.1.65          | Medial geniculate body           | 5.2.40          |
| surface anatomy                | 6.1.61          | Medial malleolus                 | 2.3.8           |
| Lunula of fingernail           | 1.5.54          | Medial palpebral ligament        |                 |
|                                |                 | and tarsus                       | 5.5.36          |
|                                |                 | anterior view                    | 5.5.33          |
|                                |                 | from above                       | 5.5.27          |
|                                |                 | Medial pectoral nerve            | 1.1.77          |
|                                |                 | Medial plantar artery            | 2.4.43          |
|                                |                 | Medial plantar nerve             | 2.4.48          |
|                                |                 | Medial pterygoid muscle          | 4.4.22          |
|                                |                 | Medial pterygoid plate           | 4.2.8           |
|                                |                 | medial view                      | 4.3.30          |
|                                |                 | Medial rectus muscle             |                 |
|                                |                 | anterior view                    | 5.5.17          |
|                                |                 | from above                       | 5.5.27          |
|                                |                 | Median arcuate ligament          | 3.2.41          |
|                                |                 | Median nerve                     |                 |
|                                |                 | in arm                           | 1.3.34          |
|                                |                 | in forearm and hand              | 1.5.40          |
|                                |                 | motor distribution (distal)      | 1.5.43          |
|                                |                 | motor distribution (proximal)    | 1.3.36          |
|                                |                 | origin                           | 1.1.73          |
|                                |                 | sensory distribution             | 1.5.43          |
|                                |                 | Median sacral artery             | 3.3.70          |
|                                |                 | Mediastinum                      | 3.2.29*, 6.1.67 |
|                                |                 | Medulla                          | 5.2.27          |
|                                |                 | Menisci                          | 2.2.13          |
|                                |                 | Mental foramen                   | 4.4.15          |
|                                |                 | Mental nerve                     | 5.3.41          |
|                                |                 | Mental protuberance              | 4.4.12          |
|                                |                 | Mental spine                     | 4.4.12          |
|                                |                 | Mentalis muscle                  | 5.1.10          |
|                                |                 | Mesentery                        | 6.2.27          |
|                                |                 | root                             | 6.2.28          |
|                                |                 | Mesosalpinx                      | 6.4.59          |
|                                |                 | Mesovarium                       | 6.4.61          |
|                                |                 | Metacarpal bones                 | 1.4.4           |
|                                |                 | Metacarpophalangeal joint        |                 |
|                                |                 | bones                            | 1.4.10          |
|                                |                 | capsule of                       | 1.4.12          |
|                                |                 | collateral ligaments of          | 1.4.13          |
|                                |                 | movements (dissection)           | 1.4.14          |
|                                |                 | movements (live model)           | 1.4.11          |
|                                |                 | Metatarsal bones                 | 2.4.3           |
|                                |                 | Metatarsophalangeal joint        | 2.4.12          |
|                                |                 | of big toe                       | 2.4.15          |
| <b>M</b>                       |                 |                                  |                 |
| Malleus                        |                 |                                  |                 |
| dissected specimen             | 5.6.43          |                                  |                 |
| dry bone                       | 5.6.35          |                                  |                 |
| ligaments                      | 5.6.36          |                                  |                 |
| seen through tympanic membrane | 5.6.14          |                                  |                 |
| Mamillary bodies               | 5.2.65          |                                  |                 |
| Mandible                       | 4.4.5           |                                  |                 |
| alveolar process               | 4.4.10          |                                  |                 |
| angle                          | 4.4.6           |                                  |                 |
| base                           | 4.4.10          |                                  |                 |
| body                           | 4.4.6           |                                  |                 |
| buttress                       | 4.4.13          |                                  |                 |
| condyle (condylar process)     | 4.4.7           |                                  |                 |
| coronoid process               | 4.4.8           |                                  |                 |
| lingula                        | 4.4.14          |                                  |                 |
| neck                           | 4.4.7           |                                  |                 |
| ramus                          | 4.4.6           |                                  |                 |
| symphysis                      | 4.4.5           |                                  |                 |
| Mandibular foramen             | 4.4.14          |                                  |                 |
| and inferior alveolar nerve    | 5.2.38          |                                  |                 |
| Mandibular nerve               |                 |                                  |                 |
| emerging from foramen ovale    | 5.3.33          |                                  |                 |
| entering foramen ovale         | 5.3.32          |                                  |                 |
| motor branches                 | 5.3.34          |                                  |                 |
| Mandibular notch               | 4.4.9           |                                  |                 |
| Masseter muscle                | 4.4.24          |                                  |                 |
| Mastoid air cells              | 5.6.28          |                                  |                 |
| Mastoid process                | 4.1.15          |                                  |                 |
| Maxilla                        | 4.2.22          |                                  |                 |
| alveolar process               | 4.4.4           |                                  |                 |
| Maxillary artery               | 5.4.58          |                                  |                 |
| Maxillary nerve                |                 |                                  |                 |
| entering foramen rotundum      | 5.3.22          |                                  |                 |
| in pterygo-maxillary fissure   | 5.3.24          |                                  |                 |
| Maxillary sinus (antrum)       |                 |                                  |                 |
| dissected specimen             | 4.3.54          |                                  |                 |
| dry bones                      |                 |                                  |                 |
| anterior view                  | 4.3.17          |                                  |                 |
| coronal section                | 4.3.12          |                                  |                 |
| opening                        |                 |                                  |                 |

|                                    |        |                                   |        |
|------------------------------------|--------|-----------------------------------|--------|
| plantar ligament                   | 2.4.13 |                                   |        |
| Midbrain                           | 5.2.37 |                                   |        |
| Midcarpal joint                    | 1.2.36 |                                   |        |
| Middle cerebral artery             |        |                                   |        |
| in lateral cerebral fissure        | 5.4.26 |                                   |        |
| in lateral cerebral fissure        | 5.4.30 |                                   |        |
| origin                             | 5.4.16 |                                   |        |
| Middle colic artery                | 6.3.45 |                                   |        |
| Middle constrictor muscle          | 4.4.89 |                                   |        |
| Middle cranial fossa               |        |                                   |        |
| dry bones                          | 5.2.5  |                                   |        |
| dural openings                     | 5.2.19 |                                   |        |
| bony details                       | 4.2.15 |                                   |        |
| Middle meatus                      | 4.3.11 |                                   |        |
| Middle meningeal artery            | 5.4.59 |                                   |        |
| Middle rectal artery               | 3.4.53 |                                   |        |
| Middle scalene muscle              | 4.1.56 |                                   |        |
| with anterior cervical nerve roots | 1.1.54 |                                   |        |
| Midgut rotation, animation         | 6.2.23 |                                   |        |
| Mitral valve                       | 6.1.31 |                                   |        |
| anterior cusp                      | 6.1.35 |                                   |        |
| from inside left atrium            | 6.1.18 |                                   |        |
| <i>M</i> in action                 | 6.1.33 |                                   |        |
| position in intact heart           | 6.1.50 |                                   |        |
| Movements                          |        |                                   |        |
| of forearm                         | 1.2.4  |                                   |        |
| of metacarpophalangeal joints      |        |                                   |        |
| dissection                         | 1.4.14 |                                   |        |
| live model                         | 1.4.11 |                                   |        |
| of scapula                         |        |                                   |        |
| in articulated skeleton            | 1.1.7  |                                   |        |
| in dissected specimen              | 1.1.21 |                                   |        |
| of shoulder joint                  | 1.1.29 |                                   |        |
| of thumb                           | 1.4.21 |                                   |        |
| of wrist                           |        |                                   |        |
| dry bones                          | 1.2.37 |                                   |        |
| living body                        | 1.2.5  |                                   |        |
| Multifidus muscle                  | 3.1.41 |                                   |        |
| Muscles                            |        |                                   |        |
| intrinsic of hand, overview        | 1.5.23 |                                   |        |
| of arm and forearm, overview       | 1.3.23 |                                   |        |
| of forearm, overview               | 1.5.14 |                                   |        |
| Musculocutaneous nerve             |        |                                   |        |
| at shoulder                        | 1.1.78 |                                   |        |
| in arm                             | 1.3.32 |                                   |        |
| Mylohyoid muscle                   | 4.4.29 |                                   |        |
| from below                         | 4.4.67 |                                   |        |
| Mylohyoid nerve                    | 5.3.40 |                                   |        |
|                                    |        | <b>N</b>                          |        |
|                                    |        | Nares, anterior (nostrils)        | 4.3.36 |
|                                    |        | Nares, posterior (choanae)        |        |
|                                    |        | dissected specimen                | 4.3.56 |
|                                    |        | dry bones                         |        |
|                                    |        | half skull                        | 4.3.30 |
|                                    |        | whole skull                       | 4.2.9  |
|                                    |        | Nasal bone                        |        |
|                                    |        | dissected specimen                | 4.3.37 |
|                                    |        | dry bones                         | 4.3.32 |
|                                    |        | Nasal cavity                      |        |
|                                    |        | dissected specimen                | 4.3.44 |
|                                    |        | dry bones                         |        |
|                                    |        | anterior view                     | 4.2.4  |
|                                    |        | coronal section                   | 4.3.8  |
|                                    |        | lateral wall                      | 4.3.15 |
|                                    |        | Nasal septum                      |        |
|                                    |        | cartilage                         | 4.3.42 |
|                                    |        | dissected specimen                | 4.3.40 |
|                                    |        | dry bones                         |        |
|                                    |        | coronal section                   | 4.3.8  |
|                                    |        | side view                         | 4.3.14 |
|                                    |        | Nasal vestibule                   | 4.3.45 |
|                                    |        | Nasalis muscle                    | 5.1.9  |
|                                    |        | Nasociliary nerve                 | 5.3.15 |
|                                    |        | Nasolacrimal duct                 |        |
|                                    |        | dissected specimen                |        |
|                                    |        | lower end                         | 4.3.48 |
|                                    |        | upper end                         | 5.5.43 |
|                                    |        | dry bones                         | 4.3.28 |
|                                    |        | Nasolacrimal foramen              | 4.2.33 |
|                                    |        | Nasopalatine nerve                | 5.3.30 |
|                                    |        | Nasopharynx                       | 4.3.56 |
|                                    |        | Neck (mandible)                   | 4.4.7  |
|                                    |        | Nerves of hip region-introduction | 2.1.76 |
|                                    |        | Nipple                            | 3.2.86 |
|                                    |        | Nose, external                    | 4.3.35 |
|                                    |        | Nuchal ligament                   | 4.1.41 |
|                                    |        | Nucleus pulposus                  | 3.1.30 |
|                                    |        | <b>O</b>                          |        |
|                                    |        | Oblique muscles, actions          | 5.5.21 |
|                                    |        | Obliquus capitis muscle           |        |
|                                    |        | inferior                          | 4.1.54 |
|                                    |        | superior                          | 4.1.54 |
|                                    |        | Obturator artery                  | 3.4.50 |
|                                    |        | Obturator externus muscle         | 2.1.34 |

|   |                 |                          |                |
|---|-----------------|--------------------------|----------------|
| Obturator foramen                       | 2.1.11, 3.4.85* | from below               | 5.2.42         |
| Obturator internus muscle               | 2.1.35*, 3.4.22 | posterior view           | 5.3.4          |
| Obturator membrane                      | 2.1.23, 3.4.22* | Optic nerve              | 5.3.3          |
| Obturator nerve                         | 2.1.78*, 3.4.8  | Optic tract              | 5.2.40         |
| Occipital artery                        | 5.4.53          | Oral cavity              | 4.4.43         |
| Occipital bone                          | 4.1.7           | side view                | 4.4.47         |
| basilar part                            |                 | vestibule                | 4.4.45         |
| dissected specimen                      | 4.3.57          | Oral commissure          | 5.1.4          |
| dry bones                               | 4.1.9           | Orbicularis oculi muscle | 5.1.3          |
| foramen magnum                          | 4.1.8           | attachments              | 5.5.32         |
| intracranial view                       | 4.1.21          | Orbicularis oris muscle  | 4.4.52, 5.1.4* |
| squamous part                           | 4.1.11          | Orbital cavity           |                |
| Occipital condyles                      | 4.1.10          | anterior view            | 4.2.3, 5.5.2*  |
| Occipital lobe (cerebrum), lateral view | 5.2.49          | from above               | 5.5.4          |
| Occipitalis muscle                      | 5.1.18          | coronal section          | 4.3.7          |
| Oculomotor nerve                        |                 | individual bones         | 5.5.5          |
| and cavernous sinus                     | 5.3.6           | Orbital margin           | 4.2.3, 5.5.3*  |
| and posterior cerebral artery           | 5.4.20          | Orbital septum           | 5.5.34         |
| dural opening                           | 5.3.5           | Oropharynx               | 4.3.2          |
| emergence from brainstem                | 5.2.41          | Ovarian arteries         | 3.3.85         |
| lower branch                            | 5.3.8           | Ovary                    | 6.4.60         |
| upper branch                            | 5.3.7           | suspensory ligament      | 6.4.62         |
| Odontoid process                        |                 |                          |                |
| dissected specimen                      | 4.1.47          |                          |                |
| dry bones                               | 4.1.31          |                          |                |
| Olecranon                               | 1.2.12          | <b>P</b>                 |                |
| Olfactory tract                         | 5.2.59          | Palatine bone            | 4.2.34         |
| Olfactory area                          |                 | Palatine nerve           |                |
| lateral nasal wall                      | 4.3.47          | greater                  | 5.3.29         |
| nasal septum                            | 4.3.41          | lesser                   | 5.3.29         |
| Olfactory nerve                         | 5.3.2           | Palatoglossal arch       | 4.4.48         |
| Olive                                   | 5.2.32          | Palatoglossus muscle     | 4.4.95         |
| Omental bursa (lesser sac)              |                 | Palatopharyngeal arch    | 4.4.48         |
| development                             | 6.2.19          | Palatopharyngeus muscle  | 4.4.96         |
| seen through gastro-colic ligament      | 6.2.18          | Palmar aponeurosis       | 1.4.31         |
| seen through gastro-splenic ligament    | 6.3.29          | Palmar arch              |                |
| seen through lesser omentum             | 6.2.16          | deep                     | 1.5.35         |
| Omohyoid muscle                         |                 | superficial              | 1.5.33         |
| in neck                                 | 1.1.43, 4.5.34* | Palmar digital nerves    | 1.5.42         |
| with hyoid bone, isolated dissection    | 4.4.33          | Palmar plate (ligament)  | 1.4.12         |
| Ophthalmic artery                       | 5.4.10          | Palmaris longus muscle   | 1.3.19         |
| Ophthalmic nerve                        | 5.3.14          | Palpebral aperture       | 5.1.3          |
| Opponens digiti minimi muscle           | 1.5.21          | Pampiniform plexus       | 6.4.14         |
| Opponens pollicis muscle                | 1.5.20          | Pancreas                 | 6.3.19         |
| Optic canal                             |                 | Pancreatic duct          | 6.3.20         |
| posterior view                          | 4.2.36          | Papillary muscles        |                |
| anterior view                           | 5.5.6           | of mitral valve          | 6.1.32         |
| Optic chiasm                            |                 | of tricuspid valve       | 6.1.24         |
| divided in midline                      | 5.2.66          | Parathyroid glands       | 4.5.31         |

|                                  |        |                                   |                 |
|----------------------------------|--------|-----------------------------------|-----------------|
| Paravertebral muscles            | 3.1.39 | Peritoneum                        | 3.3.45, 6.2.4*  |
| Parietal lobe (cerebrum)         | 5.2.56 | in iliac fossa                    | 3.3.27          |
| Parotid duct                     | 4.4.63 | in pelvic cavity                  | 3.4.47          |
| Parotid gland                    | 4.4.56 | Peroneal artery                   | 2.3.54          |
| and facial nerve                 | 4.4.59 | Peroneal retinaculum              | 2.3.25          |
| deep part                        | 4.4.58 | Peroneus brevis muscle            | 2.3.41          |
| deep relations                   | 4.4.57 | tendon                            | 2.3.43          |
| superficial part                 | 4.4.62 | Peroneus longus muscle            | 2.3.42          |
| Patella                          | 2.2.11 | relation to long plantar ligament | 2.4.9           |
| Patellar ligament                | 2.2.22 | tendon                            | 2.3.44          |
| Pectineus muscle                 | 2.1.41 | Peroneus tertius muscle           | 2.3.45          |
| Pectoralis major muscle          | 1.1.46 | Petrosal sinus                    |                 |
| Pectoralis minor muscle          | 1.1.42 | inferior                          | 5.4.45          |
| Pedicle (of typical vertebra)    | 3.1.9  | superior                          | 5.4.45          |
| Pelvic brim                      | 3.3.15 | Phalanges                         |                 |
| Pelvic cavity                    | 3.3.5  | toes                              | 2.4.6           |
| Pelvic diaphragm                 | 3.4.24 | fingers                           | 1.4.9           |
| from below                       |        | Pharyngeal recess                 | 4.3.59          |
| female                           | 3.4.39 | Pharyngobasilar fascia            | 4.4.88          |
| male                             | 3.4.35 | Pharynx                           | 4.4.83          |
| lateral view                     |        | divided in mid-line               | 4.4.94          |
| male                             | 6.2.50 | posterior view                    | 4.4.86          |
| female                           | 6.3.74 | structures adjoining              | 4.4.81          |
| Pelvic fascia                    | 3.4.34 | Phrenic nerve                     |                 |
| Pelvic plexus                    | 3.4.59 | in neck                           | 5.3.72*, 3.2.73 |
| Pelvic splanchnic nerves         | 3.4.62 | in thorax                         |                 |
| Pelvis                           | 2.1.4  | left                              | 3.2.76          |
| bony                             | 3.3.5  | right                             | 3.2.75          |
| definition                       | 3.3.4  | Pia                               |                 |
| male and female compared         | 3.4.11 | surrounding brain                 | 5.2.14          |
| orientation in standing position | 3.3.16 | surrounding spinal cord           | 3.1.49          |
| Penis                            |        | Pineal body                       | 5.2.37          |
| bulb                             | 6.4.39 | Piriform aperture                 |                 |
| crura                            | 6.4.38 | dissected specimen                | 4.3.37          |
| crus                             | 6.4.33 | dry bones                         | 4.3.5           |
| glans                            | 6.4.27 | Piriform recess                   | 4.5.7           |
| introduction                     | 6.4.22 | Piriformis muscle                 | 2.1.33*, 3.4.21 |
| proximal, from below             | 6.4.31 | Pisiform bone                     | 1.2.33          |
| suspensory ligament              | 6.4.29 | Pisohamate ligament               | 1.3.18          |
| transverse section               | 6.4.23 | Pisometacarpal ligament           | 1.3.18          |
| triangular ligament              | 6.4.30 | Pituitary fossa                   | 5.2.20          |
| Perforating veins (leg)          | 2.3.50 | dry bones                         | 4.2.17          |
| Pericardial sac                  | 6.1.53 | divided in midline                | 5.2.67          |
| Pericardium                      | 6.1.54 | Pituitary gland                   | 5.2.66          |
| Perineal body, male              | 6.4.35 | Plantar aponeurosis               | 2.4.10          |
| Perineal membrane                |        | insertion                         | 2.4.16          |
| female                           | 6.4.73 | lateral cord                      | 2.4.38          |
| male                             | 6.4.40 | Plantar digital nerves            | 2.4.49          |
| Perineum (definition)            | 3.4.41 | Plantar fascia                    | 2.4.37          |

|                                       |                 |                                      |                 |
|---------------------------------------|-----------------|--------------------------------------|-----------------|
| Plantar muscles-integrated view       | 2.4.36          | Procerus muscle                      | 5.1.19          |
| Plantar nerves, medial and lateral    | 2.4.48          | Profunda brachii artery              | 1.3.28          |
| Plantaris muscle                      | 2.3.33          | Promontory                           | 5.6.27          |
| at knee                               | 2.2.37          | Pronator quadratus muscle            | 1.3.14          |
| Platysma muscle                       | 5.1.11          | Pronator teres muscle                | 1.3.13          |
| Pleura                                | 3.2.33          | Prostate                             | 6.3.73          |
| dome                                  | 3.2.31          | Psoas major muscle                   | 2.1.48*, 3.3.23 |
| parietal and visceral                 | 3.2.34*, 6.1.70 | Pterygoid fossa                      | 4.2.29          |
| Pleural cavity                        | 3.2.30          | Pterygoid process                    | 4.2.28          |
| Pleural seal                          | 6.1.71          | Pterygomandibular band (raphe)       | 4.4.50          |
| Pons                                  | 5.2.34          | Pterygomaxillary fissure             | 4.2.23, 5.3.19  |
| emerging from adductor canal          | 2.2.43          | Pubic arch                           | 3.4.10          |
| trifurcation                          | 2.3.52          | Pubic symphysis                      | 2.1.4           |
| Popliteal artery                      | 2.3.51          | Pubic symphysis                      | 3.3.14          |
| Popliteal fossa                       | 2.2.46          | Pubic tubercle                       | 2.1.13          |
| Popliteal vein                        | 2.2.43          | Pubis                                | 2.1.5, 3.3.12   |
| Popliteus muscle                      | 2.2.36          | body                                 | 2.1.12, 3.3.12  |
| Porta hepatis                         | 6.3.21          | medial view                          | 3.4.9           |
| Portal vein                           | 6.3.49          | crest                                | 3.3.13          |
| at porta hepatis                      | 6.3.51          | ischiopubic ramus                    | 2.1.12, 3.3.13  |
| Position, anatomic                    | 1.2.3           | pecten                               | 3.3.13          |
| Posterior abdominal wall (overview)   | 3.3.28          | superior ramus                       | 2.1.12, 3.3.12  |
| Posterior auricular artery            | 5.4.54          | tubercle                             | 2.1.13, 3.3.13  |
| Posterior auricular nerve             | 5.3.75          | Pubococcygeus muscle                 | 3.4.29          |
| Posterior cerebral artery             |                 | Pudendal nerve                       | 3.4.58          |
| as part of arterial circle            | 5.4.22          | Pulmonary arteries, at hila of lungs | 6.1.73          |
| course                                | 5.4.31          | Pulmonary artery                     |                 |
| origin                                | 5.4.19          | left                                 | 6.1.40          |
| Posterior clinoid process             | 4.2.17          | within pericardial sac               | 6.1.57          |
| Posterior communicating artery        |                 | right                                | 6.1.40          |
| anterior end                          | 5.4.14          | Pulmonary trunk                      |                 |
| as part of arterial circle            | 5.4.22          | in situ                              |                 |
| from below                            | 5.4.25          | lateral view                         | 3.2.54          |
| posterior end                         | 5.4.21          | anterior view                        | 6.1.55          |
| Posterior cranial fossa               | 4.2.12, 5.2.6*  | in isolated heart                    | 6.1.40          |
| Posterior crural intermuscular septum | 2.3.39          | sinuses                              | 6.1.37          |
| Posterior intercostal arteries        | 3.2.63          | Pulmonary valve                      | 6.1.36          |
| Posterior interosseous nerve          | 1.5.39          | in action                            | 6.1.38          |
| Posterior longitudinal ligament       |                 | position in intact heart             | 6.1.49          |
| cervical spine                        | 3.1.36          | Pulmonary veins                      |                 |
| lumbar spine                          | 4.1.43          | at hila of lungs                     | 6.1.73          |
| Posterior primary ramus               | 3.1.63          | entering left atrium                 | 6.1.15          |
| Posterior scalene muscle              | 4.1.56          | within pericardial sac               |                 |
| Posterior superior alveolar nerves    | 5.3.26          | left                                 | 6.1.57          |
| Posterior superior iliac spine        | 2.1.7, 3.3.11*  | right                                | 6.1.58          |
| Posterior tibial artery               | 2.3.53          | Punctum, upper and lower             | 5.5.40          |
| Prepuce                               | 6.4.26          | Pupil                                | 5.5.12          |
| Principal bronchi                     | 6.1.63          | Pyloric antrum                       | 6.2.9           |
| isolated dissection                   | 6.1.75          | Pylorus                              | 6.2.8           |

|   |        |                                  |                 |
|---|--------|----------------------------------|-----------------|
| internal feaures                              | 6.2.13 | radial tuberosity                | 1.2.15          |
| Pyramid                                       | 5.2.32 | styloid                          | 1.2.28          |
| <b>Q</b>                                      |        | Rami communicantes               | 3.2.81          |
| Quadratus femoris muscle                      | 2.1.37 | Ramus of mandible                | 4.4.6           |
| Quadratus lumborum muscle                     | 3.3.22 | Recto-uterine pouch              | 6.4.51          |
| Quadratus plantae muscle (flexor accessorius) | 2.4.29 | Rectum                           |                 |
| Quadriceps bursa                              | 2.2.23 | ampulla                          | 6.2.52          |
| Quadriceps femoris muscle                     |        | anterior view                    | 6.2.48          |
| action  | 2.2.31 | from above                       | 6.2.47          |
| individual components                         | 2.2.27 | lateral view                     | 6.2.49          |
| whole muscle                                  | 2.1.50 | perineal flexure                 | 6.2.53          |
| Quadriceps tendon                             | 2.2.21 | Rectus abdominis muscle          | 3.3.30          |
|   |        | action                           | 3.3.32          |
|   |        | sheath                           |                 |
|   |        | posterior                        | 3.3.33          |
|   |        | anterior                         | 3.3.35          |
|   |        | tendinous intersection           | 3.3.31          |
| <b>R</b>                                      |        | Rectus capitis major muscle      | 4.1.53          |
| Radial artery                                 |        | Rectus capitis minor muscle      | 4.1.53          |
| concomitant veins                             | 1.5.26 | Rectus femoris muscle            |                 |
| deep branch                                   | 1.5.28 | as hip flexor                    | 2.1.50          |
| in forearm                                    | 1.5.27 | as knee extensor                 | 2.2.30          |
| in hand                                       | 1.5.28 | Rectus muscles, actions          | 5.5.18          |
| origin  | 1.3.30 | Recurrent laryngeal nerve        | 5.3.63          |
| superficial branch                            | 1.5.28 |                                  |                 |
| Radial nerve                                  |        | Renal                            |                 |
| deep branch                                   | 1.5.39 | arteries                         | 6.3.57          |
| in arm  | 1.3.38 | calyces                          | 6.3.60          |
| in forearm and hand                           | 1.5.37 | cortex                           | 6.3.62          |
| motor distribution, distal                    | 1.5.39 | medulla                          | 6.3.62          |
| motor distribution, proximal                  | 1.3.39 | papillae                         | 6.3.61          |
| origin  | 1.1.76 | pelvis                           | 6.3.60          |
| sensory distribution                          | 1.5.38 | sinus                            | 6.3.59          |
| superficial branch                            | 1.5.37 | veins                            | 6.3.56          |
| Radiate ligament                              | 3.2.18 | Rhomboid muscles                 | 1.1.40          |
| Radiocarpal joint                             | 1.2.34 | Rib cage                         | 3.2.2           |
| Radiocarpal ligament                          |        | relation to scapula and clavicle | 3.2.21          |
| dorsal  | 1.2.40 | Rib, first                       | 1.1.51, 3.2.19* |
| palmar  | 1.2.40 | movements                        | 3.2.20          |
| Radioulnar joint                              |        | surface anatomy                  | 3.2.23          |
| distal  | 1.2.23 | Rib, typical                     | 3.2.13          |
| articular disc                                | 1.2.29 | angle                            | 3.2.15          |
| capsule                                       | 1.2.29 | head                             | 3.2.14          |
| triangular fibrocartilage                     | 1.2.29 | neck                             | 3.2.14          |
| proximal                                      | 1.2.18 | tubercle                         | 3.2.14          |
| Radius  | 1.2.9  | Ribs                             | 3.2.3           |
| articulation with carpal bones                | 1.2.26 | floating                         | 3.2.10          |
| articulation with ulna                        | 1.2.27 | Right atrium                     | 6.1.9           |
| head  | 1.2.14 | internal features                | 6.1.12          |
| neck  | 1.2.14 |                                  |                 |



|                                       |                 |                                     |                 |
|---------------------------------------|-----------------|-------------------------------------|-----------------|
| Sphenomandibular ligament             | 4.4.25          | fundus                              | 6.2.10          |
| Sphenopalatine foramen                | 5.3.28          | greater curve                       | 6.2.10          |
| Sphenopalatine foramen                | 4.3.29          | in isolation                        | 6.2.8           |
| Spinal accessory nerve                |                 | internal features                   | 6.2.11          |
| emerging from jugular foramen         | 5.3.58          | lesser curve                        | 6.2.10          |
| entering jugular foramen              | 5.3.55          | Straight sinus                      | 5.4.37          |
| in neck                               | 5.3.64          | Styloglossus muscle                 | 4.4.93          |
| Spinal cord                           |                 | Stylohyoid muscle                   | 4.4.31          |
| transverse section                    | 3.1.48          | in parotid bed                      | 4.4.61          |
| longitudinal view                     | 3.1.54          | posterior view                      | 4.4.85          |
| Spinal nerves                         |                 | Styloid process                     |                 |
| emergence from intervertebral foramen | 3.1.60          | of radius                           | 1.2.28          |
| filaments                             |                 | of ulna                             | 1.2.25          |
| from above                            | 3.1.48          | Styloid process (temporal bone)     |                 |
| from behind                           | 3.1.57          | dissected specimen                  | 4.4.59          |
| numbering                             | 3.1.64          | dry bones                           | 4.1.18          |
| obliquity                             | 3.1.58          | posterior view                      | 4.4.85          |
| roots                                 | 3.1.55          | Stylomandibular ligament            | 4.4.25          |
| Spinalis muscle                       | 3.1.43          | Stylomastoid foramen                | 4.1.18          |
| Spinous process                       | 3.1.11          | and facial nerve                    | 5.3.50          |
| Splanchnic nerves                     | 3.2.82          | Stylopharyngeus muscle              | 4.4.93          |
| Spleen                                |                 | Subarachnoid space                  |                 |
| anterior view                         | 6.3.27          | surrounding spinal cord             | 3.1.50          |
| development                           | 6.3.30          | surrounding brain                   | 5.2.16          |
| lateral view                          | 6.3.32          | Subclavian artery                   | 1.1.60          |
| surface anatomy                       | 6.3.26          | proximal course                     | 3.2.58          |
| Splenic artery                        | 6.3.38          | crossing first rib                  | 5.4.3           |
| Splenic vein                          | 6.3.50          | proximal branches                   | 5.4.47          |
| Splenius muscle                       | 3.1.46, 4.1.58* | Subclavian vein                     | 1.1.56*, 3.2.64 |
| "Spring" ligament                     | 2.3.20          | relation to pleura                  | 3.2.66          |
| Stapedius muscle                      | 5.6.31          | Subclavius muscle                   | 1.1.43          |
| Stapes                                |                 | Subcostal nerve                     | 3.3.83          |
| dissected specimen                    | 5.6.30          | Sublingual gland                    | 4.4.71          |
| dry bone                              | 5.6.29          | Submandibular duct                  | 4.4.70          |
| Sternoclavicular joint                |                 | Submandibular fossa                 | 4.4.11          |
| in articulated skeleton               | 1.1.6*, 3.2.22  | Submandibular gland                 |                 |
| in dissected specimen                 | 1.1.19          | deep part                           | 4.4.69          |
| movements                             | 1.1.20          | deep relations                      | 4.4.65          |
| Sternocleidomastoid muscle            | 4.1.60          | superficial part                    | 4.4.68          |
| Sternohyoid muscle                    | 4.5.34          | Subscapular artery                  | 1.1.66          |
| insertion                             | 4.4.33          | Subscapular nerve                   | 1.1.80          |
| Sternothyroid muscle                  | 4.5.33          | Subscapularis muscle                | 1.1.33          |
| Sternum                               | 3.2.4           | Subtalar joint                      | 2.3.18          |
| manubrium                             | 3.2.4           | movements at                        | 2.3.21          |
| sternal angle                         | 3.2.5           | Sulci and gyri                      | 5.2.53          |
| xiphoid process                       | 3.2.4           | Superficial circumflex iliac artery | 2.1.70          |
| Stomach                               |                 | Superficial femoral artery          | 2.1.71          |
| blood supply                          | 6.3.41          | Superficial inguinal ring           | 3.3.52          |
| exposure                              | 6.2.6           | crura                               | 3.3.52          |

|  |                 |   |                 |
|--|-----------------|---|-----------------|
| Superficial palmar arch                | 1.5.33          | Superior thoracic aperture              | 3.2.12*, 4.1.34 |
| Superficial peroneal nerve             |                 | Superior thyroid artery                 | 5.4.50          |
| at ankle                               | 2.4.46          | Superior thyroid notch                  | 4.4.76          |
| muscles supplied by                    | 2.3.60          | Superior vena cava                      | 1.1.59, 3.2.68* |
| origin                                 | 2.3.59          | entering right atrium                   | 6.1.9           |
| Superficial temporal artery            | 5.4.57          | within pericardial sac                  | 6.1.55          |
| Superficial temporal fascia            | 5.1.20          | Supinator muscle                        | 1.3.15          |
| Superficial transverse perineal muscle | 6.4.36          | Supraclavicular nerves                  | 5.3.27          |
| Superior alveolar nerves               |                 | Supraglenoid tubercle                   | 1.1.12          |
| anterior                               | 5.3.27          | Supraorbital nerve                      | 5.3.17          |
| posterior                              | 5.3.26          | Suprarenal (adrenal) cortex and medulla | 6.3.65          |
| Superior cerebellar arteries           |                 | Suprarenal (adrenal) glands             | 6.3.64          |
| and brainstem                          | 5.4.28          | Suprascapular artery                    | 1.1.64          |
| origin                                 | 5.4.19          | Suprascapular nerve                     | 1.1.82          |
| Superior cervical ganglion             | 5.3.70          | Supraspinatus muscle                    | 1.1.34          |
| Superior colliculi                     | 5.2.37          | Supraspinous fossa                      | 1.1.13          |
| Superior constrictor muscle            |                 | Supraspinous ligament                   | 3.1.33          |
| medial view                            | 4.4.97          | Supratrochlear nerve                    | 5.3.17          |
| posterior view                         | 4.4.86          | Sural nerve                             | 2.4.52          |
| Superior costotransverse ligament      | 3.2.18          | Suspensory ligament (penis)             | 6.4.29          |
| Superior epigastric artery             | 3.3.81          | Sutures                                 | 4.1.5           |
| Superior genicular arteries            | 2.2.44          | Sympathetic ganglion                    | 3.3.87          |
| Superior gluteal artery                | 2.1.74*, 3.4.49 | Sympathetic trunk                       |                 |
| Superior gluteal nerve                 | 2.1.81          | in neck                                 | 5.3.69          |
| Superior laryngeal aperture            | 4.5.6           | in abdomen                              | 3.3.86          |
| Superior laryngeal nerve               | 5.3.62          | in pelvis                               | 3.4.61          |
| Superior meatus                        | 4.3.11          | in thorax                               | 3.2.80          |
| Superior medullary velum               | 5.2.29          | Symphysis of mandible                   | 4.4.5           |
| Superior mesenteric artery             | 6.3.43          | Synovial sheath of finger flexors       | 1.5.7           |
| Superior mesenteric vein               | 6.3.50          |   |                 |
| Superior nuchal line                   | 4.1.12          |   |                 |
| Superior oblique muscle                |                 | <b>T</b>                                |                 |
| anterior view                          | 5.5.21          | Taeniae coli                            | 6.2.35          |
| from above                             | 5.5.19          | Talocalcaneonavicular joint             | 2.3.19          |
| Superior orbital fissure               |                 | Talofibular ligaments                   |                 |
| anterior view                          | 5.5.6           | anterior                                | 2.3.12          |
| anterior view                          | 4.2.27          | posterior                               | 2.3.12          |
| posterior view                         | 4.2.36          | Talus                                   | 2.3.10          |
| Superior orbital vein                  | 5.4.44          | Tarsal bones                            | 2.4.2           |
| Superior pubic ramus                   | 2.1.12          | Tarsal glands                           | 5.5.37          |
| Superior rectal artery                 | 6.3.48          | Tarsometatarsal joint                   | 2.4.4           |
| Superior rectus muscle                 |                 | Tarsus                                  | 5.5.35          |
| anterior view                          | 5.5.17          | Tectorial membrane                      | 4.1.44          |
| from above                             | 5.5.14          | Teeth                                   | 4.4.53          |
| Superior sagittal sinus                |                 | Temporal bone                           | 4.1.13          |
| lateral view                           | 5.4.35          | intracranial view                       | 4.1.23          |
| transverse section                     | 5.2.13          | petrous part                            | 4.1.14          |
| Superior tarsal muscle                 | 5.5.25          | squamous part                           | 4.1.14          |
| Superior thoracic aperture             | 1.1.52          | Temporal fossa                          | 4.2.6           |

|  |        |  |        |
|--|--------|--|--------|
| Temporal line                              | 4.2.6  | Thyrohyoid muscle                          | 4.5.33 |
| Temporal lobe (cerebrum)                   |        | insertion                                  | 4.4.33 |
| inferior view                              | 5.2.58 | Thyroid cartilage                          |        |
| lateral view                               | 5.2.49 | features                                   | 4.4.74 |
| Temporalis muscle                          | 4.4.23 | in dissected specimen                      | 4.4.97 |
| Temporomandibular joint                    |        | location                                   | 4.4.73 |
| capsule                                    | 4.4.17 | Thyroid gland                              | 4.5.32 |
| disk                                       | 4.4.18 | Thyroid notch, superior                    | 4.4.76 |
| movements                                  | 4.4.19 | Tibia                                      | 2.2.5  |
| surfaces                                   | 4.4.16 | distal                                     | 2.3.5  |
| Tendinous arch (origin of levator ani)     | 3.4.23 | interarticular area                        | 2.2.7  |
| Tendinous intersections (rectus abdominis) | 3.3.31 | intercondylar notch                        | 2.2.10 |
| Tensor fasciae latae muscle                | 2.1.47 | lateral condyle                            | 2.2.6  |
| Tensor palati muscle                       | 4.3.62 | medial condyle                             | 2.2.6  |
| Tensor tympani muscle                      | 5.6.38 | proximal                                   | 2.2.6  |
| Tentorial incisure                         | 5.2.10 | tibial tubercle                            | 2.2.8  |
| Tentorium cerebelli                        | 5.2.9  | Tibial nerve,                              |        |
| Teres major muscle                         | 1.1.37 | calcaneal branches                         | 2.4.53 |
| Teres minor muscle                         | 1.1.35 | in leg                                     | 2.3.57 |
| Testicular arteries                        | 3.3.68 | in popliteal fossa                         | 2.2.48 |
| entering internal inguinal ring            | 3.3.56 | muscles supplied by                        | 2.3.58 |
| Testicular vein                            | 3.3.78 | Tibialis anterior muscle                   | 2.3.29 |
| Testicular vessels                         |        | at ankle                                   | 2.4.24 |
| in pelvic side wall                        | 6.4.18 | Tibialis posterior muscle                  | 2.3.40 |
| in spermatic cord                          | 6.4.13 | Tibiofibular joints                        | 2.3.6  |
| Testis                                     |        | Tibiofibular ligament                      |        |
| in situ                                    | 6.4.5  | anterior                                   | 2.3.7  |
| internal features                          | 6.4.9  | posterior                                  | 2.3.7  |
| isolated dissection                        | 6.4.8  | Tongue                                     | 4.4.34 |
| tunica albuginea                           | 6.4.9  | papillae                                   | 4.4.37 |
| Thenar eminence                            | 1.5.20 | surface                                    | 4.4.35 |
| Thigh (definition)                         | 2.1.3  | Tonsil                                     | 4.4.48 |
| Third ventricle                            |        | Tooth, features                            | 4.4.54 |
| model                                      | 5.2.25 | Torus tubarius                             | 4.3.58 |
| side wall and floor                        | 5.4.47 | Trabeculae carnae                          | 6.1.26 |
| Thoracic spine                             |        | Trachea                                    |        |
| movements                                  | 3.1.22 | proximal, with larynx                      | 4.5.5  |
| features                                   | 3.1.21 | and cricoid cartilage                      | 4.4.80 |
| Thoracoacromial artery                     | 1.1.65 | isolated dissection                        | 6.1.75 |
| Thoracodorsal nerve                        | 1.1.81 | cartilages                                 | 6.1.76 |
| Thoracolumbar fascia                       | 3.3.21 | lower end, in situ                         | 6.1.74 |
| Thumb                                      |        | Tragus                                     | 5.6.5  |
| carpometacarpal joint                      | 1.4.18 | Transversalis fascia                       | 3.3.46 |
| interphalangeal joint                      | 1.4.20 | Transverse arytenoid (arytenoideus) muscle | 4.5.28 |
| metacarpophalangeal joint                  | 1.4.19 | Transverse cervical artery                 | 1.1.64 |
| movements                                  | 1.4.21 | Transverse colon                           | 6.2.40 |
| Thyroarytenoid muscle                      | 4.5.27 | Transverse facial artery                   | 5.4.57 |
| Thyro-cervical trunk                       | 5.4.47 | Transverse foramen (of cervical vertebra)  | 3.1.17 |
| Thyrohyoid membrane                        | 4.4.77 | Transverse intermuscular septum            | 2.3.38 |

|                              |        |                                 |         |
|------------------------------|--------|---------------------------------|---------|
| Transverse ligament of atlas |        | lower part                      | 5.6.19  |
| posterior view               | 4.1.45 | Tympanic membrane               |         |
| side view                    | 4.1.48 | angle of tilt                   | 5.6.16  |
| Transverse mesocolon         | 6.2.40 | anulus                          | 5.6.18  |
| attachment                   | 6.2.41 | external auditory meatus intact | 5.6.9   |
| Transverse process           | 3.1.11 | movement                        | 5.6.17  |
| Transverse sinus             | 5.4.39 | pars flaccida                   | 5.6.13  |
| Transversus abdominis muscle | 3.3.37 | pars tensa                      | 5.6.13  |
| aponeurosis                  | 3.3.38 |                                 |         |
| in inguinal region           | 3.3.49 |                                 |         |
| Trapezium bone               | 1.2.35 | <b>U</b>                        |         |
| crest                        | 1.4.5  | Ulna                            | 1.2.9   |
| Trapezius muscle             | 1.1.41 | coronoid process                | 1.2.12  |
| Trapezoid bone               | 1.2.35 | head                            | 1.2.24  |
| Trapezoid ligament           | 1.1.18 | olecranon                       | 1.2.12  |
| Triangular ligament (penis)  | 6.4.30 | radial notch                    | 1.2.13  |
| Triceps muscle               | 1.3.9  | styloid                         | 1.2.25  |
| lateral head                 | 1.3.10 | supinator crest                 | 1.3.15  |
| long head                    | 1.3.10 | trochlear notch                 | 1.2.11  |
| long head, tendon of origin  | 1.1.32 | Ulnar artery                    |         |
| medial (deep) head           | 1.3.10 | concomitant veins of            | 1.5.26  |
| tendon                       | 1.3.11 | deep branch                     | 1.5.31  |
| Tricuspid valve              | 6.1.23 | in forearm                      | 1.5.29  |
| from inside right atrium     | 6.1.14 | in hand                         | 1.5.31  |
| in action                    | 6.1.25 | origin                          | 1.5.30  |
| position in intact heart     | 6.1.48 | superficial branch              | 1.5.33  |
| Trigeminal cave              |        | tunnel for                      | 1. 4.25 |
| lateral view                 | 5.3.12 | Ulnar nerve                     |         |
| opening                      | 5.2.22 | deep branch                     | 1.5.47  |
| Trigeminal ganglion          | 5.3.13 | dorsal sensory branch           | 1.5.44  |
| Trigeminal nerve             | 5.3.12 | in arm                          | 1.3.35  |
| emergence from pons          | 5.2.36 | in forearm and hand             | 1.5.44  |
| Triquetral bone              | 1.2.33 | motor distribution (distal)     | 1.5.49  |
| Trochlea                     | 5.5.20 | motor distribution (proximal)   | 1.3.37  |
| Trochlear nerve              |        | origin                          | 1.1.74  |
| and cavernous sinus          | 5.3.6  | sensory distribution            | 1.5.48  |
| dural opening                | 5.3.5  | superficial branch              | 1.5.46  |
| emergence from midbrain      | 5.2.38 | Umbilical artery (obliterated)  | 3.4.51  |
| in orbit                     | 5.3.10 | Umbo                            | 5.6.15  |
| Tuber (maxilla)              | 4.4.4  | Uncinate process                | 4.3.23  |
| Tunica albuginea (penis)     | 6.4.24 | Uncus                           | 5.2.58  |
| Tunica vaginalis (testis)    | 6.4.7  | Ureter                          |         |
| Turbinates bones (conchae)   |        | entering bladder                | 6.3.68  |
| dissected specimen           | 4.3.46 | in abdomen                      | 6.3.66  |
| dry bones                    |        | in pelvis, female               | 6.3.69  |
| coronal section              | 4.3.10 | in pelvis, male                 | 6.3.67  |
| posterior view               | 4.2.11 | Ureteric ostium                 | 6.3.71  |
| Tympanic cavity              |        | Urethra                         |         |
| full extent                  | 5.6.25 | female                          | 6.3.75  |



