

- W HERENGARE
DATE:
TIME:
Critically 🗆 ill; 🗀 injured patient
Total full-attention by attending: □first 31-74 min □addtl. 30 min x (total time:)
REQUESTED BY:
INITIAL CONSULT NOTE Attending:
Information from:Patient Family Caregiver
Reason:
Present Illness: Main sign/symptom (1/1/4/4/4): (location, quality, severity, duration, timing, context, modifiers, associated
signs/symptoms)
*
MEDS:
ROS: Checked areas (✓) were explored, but negative; areas numbered (#) were positive as described (0/s.d./2/10/10)
Constitutional, skin, eyes, ENMT, Resp, CV, Gl, GU, musculoskeletal, Lymph, neuro, Psych, endocrine, immune
Positives:
Past History (0/0/1/3/3): DRUG ALLERGIES:
Medical & Surgical
Social
Family

(Rev. 6/04)TSM

BP: Pulse:	Resps:	Weight:	Temp:	
Physical exam (1/6/12/2x9/2x9): nut were normal/non-contributory; areas				# :
Appearance >3 V.S. Skin/SQ inspec palp Conj /lids , pupils/iris fundus Ext ear/nose , otoscopy hearing , rhynoscopy lips/teeth/gum , orophary Breast insp , B. palp Neck , thyroid Resp effort , chest percu Ch. Palp , lung auscul Heart palp , H. auscul carotid p , Femoral p pedal p , abd Ao edema/ varices				9. Abd palp , liver/ spleen hemias , ano -rectal guaiac (if indicated) 10. Scrotum/testes penis , prostate 11. Ext /vagina , urethra bladder , cervix uterus , adnexa 12. Gait/station , digit/nails insp /palp ROM , Stability Musc . Strength/tone 13. Neck LN , axillae LN groin LN
DATA: Diagnostic studies evaluated by check $()$ indicates work done; only very	type; comments are grelevant data was w	given if needed (0 ritten below (1/1/ 2	D=ordered; R=rev 2/3/4 points):	viewed; D=discussed; V=visualized) Circle o
abs/Path: O/R; Radiol: O/R, D, V (2); Me	ed test/Endo: O/R,D,	V (2); <u>Path</u> : D,V (2); Old Records F	Reviewed (2) Requested \(\sum_ \) Da=
				<u>_</u>
MPRESSION/DX: (1/1/2/3/4): [(Ne	w+ <u>W</u> /U (4); <u>N</u> ew (3	3); <u>W</u> orsened (2	2); <u>S</u> table (1); <u>I</u> r	mproved (1); Self-limited (1)] $\Sigma Dx=$
Plan:				
				,
Risk (1/1/2/3/4) ① venous lab urine te		③ □Prescrip.Drug □Elective surg./Bx □Mild exac.ch.dz	□Acute systemic dz	Dz threat function/life Emergency procedure Severe exac.ch.dz Procedure w/risk Parenteral narcotic
☐ COUNSEL > 50% OF (20/40	0/55/80/110)	MIN SESSI	ON.	Old records requested: Obtain Hx from family: