

Safety Data Sheet

per OSHA HazCom 2012

Printing date 03/27/2014

Reviewed on 03/25/2014

1 Identification**Product identifier****Product name:** Ethanol, anhydrous, denatured, 90%, 5% methanol, 5% isopropanol**Stock number:** 22931**Relevant identified uses of the substance or mixture and uses advised against.****Identified use:** SU24 Scientific research and development**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company

Johnson Matthey Catalog Company, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department**Emergency telephone number:**

During normal hours the Health, Safety and Environmental Department at (800) 343-0660. After normal hours call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification**Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

STOT SE 2 H371 May cause damage to organs.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R20/21/22-68/20/21/22: Harmful by inhalation, in contact with skin and if swallowed.
Harmful: possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.

F; Highly flammable

R11: Highly flammable.

Information concerning particular hazards for human and environment: Not applicable**Hazards not otherwise classified** No information known.**Label elements****Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labeled according to the CLP regulation.

Hazard pictograms

GHS02



GHS08

Signal word Danger**Hazard-determining components of labeling:**

Methanol

Hazard statements

H225 Highly flammable liquid and vapor.

H371 May cause damage to organs.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.
Rinse skin with water/shower.

(Contd. on page 2)

USA

Safety Data Sheet
per OSHA HazCom 2012

Printing date 03/27/2014

Reviewed on 03/25/2014

Product name: Ethanol, anhydrous, denatured, 90%, 5% methanol, 5% isopropanol

(Contd. of page 1)

P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B2 - Flammable liquid
D2B - Toxic material causing other toxic effects

**Classification system****HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	2	Health (acute effects) = 2
FIRE	3	Flammability = 3
REACTIVITY	1	Physical Hazard = 1

Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients**Chemical characterization: Mixtures****Dangerous components:**

Dangerous components:		
64-17-5	Ethyl alcohol	90.0%
67-56-1	Methanol	5.0%
67-63-0	2-Propanol	5.0%

Additional information None known.**4 First-aid measures****Description of first aid measures****After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor**Most important symptoms and effects, both acute and delayed**

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures**Extinguishing media****Suitable extinguishing agents**

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Advice for firefighters**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)

USA

Safety Data Sheet

per OSHA HazCom 2012

Printing date 03/27/2014

Reviewed on 03/25/2014

Product name: Ethanol, anhydrous, denatured, 90%, 5% methanol, 5% isopropanol

(Contd. of page 2)

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

Methods and material for containment and cleaning up:

Keep away from ignition sources.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.**Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling****Precautions for safe handling**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Keep ignition sources away.

Conditions for safe storage, including any incompatibilities**Storage****Requirements to be met by storerooms and receptacles:** Store in a cool location.**Information about storage in one common storage facility:**

Store away from oxidizing agents.

Store away from water/moisture.

Further information about storage conditions:

This product is hygroscopic.

Store under dry inert gas.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Protect from humidity and water.

Specific end use(s) No further relevant information available.**8 Exposure controls/personal protection****Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters**Components with limit values that require monitoring at the workplace:****64-17-5 Ethyl alcohol (90.0%)**PEL (USA) Long-term value: 1900 mg/m³, 1000 ppmREL (USA) Long-term value: 1900 mg/m³, 1000 ppmTLV (USA) Short-term value: 1880 mg/m³, 1000 ppmEV (Canada) Long-term value: 1.900 mg/m³, 1.000 ppm**67-56-1 Methanol (5.0%)**PEL (USA) Long-term value: 260 mg/m³, 200 ppmREL (USA) Short-term value: 325 mg/m³, 250 ppmLong-term value: 260 mg/m³, 200 ppm

Skin

TLV (USA) Short-term value: 328 mg/m³, 250 ppmLong-term value: 262 mg/m³, 200 ppm

Skin; BEI

EL (Canada) Short-term value: 250 ppm

Long-term value: 200 ppm

Skin

(Contd. on page 4)

USA

Safety Data Sheet

per OSHA HazCom 2012

Printing date 03/27/2014

Reviewed on 03/25/2014

Product name: Ethanol, anhydrous, denatured, 90%, 5% methanol, 5% isopropanol

(Contd. of page 3)

EV (Canada)	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin
67-63-0 2-Propanol (5.0%)	
PEL (USA)	Long-term value: 980 mg/m ³ , 400 ppm
REL (USA)	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm
TLV (USA)	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm BEI
EL (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm
EV (Canada)	Short-term value: 400 ppm Long-term value: 200 ppm
Ingredients with biological limit values:	
67-56-1 Methanol (5.0%)	
BEI (USA)	15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific)
67-63-0 2-Propanol (5.0%)	
BEI (USA)	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

Additional information: No data**Exposure controls****Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use self-contained breathing apparatus (SCBA) as a backup to engineering controls. Risk assessment should be performed. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality.

Quality will vary from manufacturer to manufacturer.

Material of gloves Butyl rubber, BR**Eye protection:** Safety glasses**Body protection:** Protective work clothing.**9 Physical and chemical properties****Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Color:	Colorless
Odor:	Alcohol-like
Odor threshold:	Not determined.

pH-value: Not determined.**Change in condition**

Melting point/Melting range:	-90 °C (-130 °F)
Boiling point/Boiling range:	78 °C (172 °F)
Sublimation temperature / start:	Not determined

Flash point:	11 °C (52 °F)
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	455 °C (851 °F)

(Contd. on page 5)

- USA -

Safety Data Sheet

per OSHA HazCom 2012

Printing date 03/27/2014

Reviewed on 03/25/2014

Product name: Ethanol, anhydrous, denatured, 90%, 5% methanol, 5% isopropanol

(Contd. of page 4)

Decomposition temperature:	Not determined
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures is possible.
Explosion limits:	
Lower:	3.5 Vol %
Upper:	15.0 Vol %
Vapor pressure at 20 °C (68 °F):	57 hPa (43 mm Hg)
Density at 20 °C (68 °F):	0.789 g/cm ³ (6.584 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Solvent content:	
Organic solvents:	10.0 %
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided:
 Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known
Incompatible materials:
 Oxidizing agents
 Water/moisture
Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information**Information on toxicological effects****Acute toxicity:**

Harmful if inhaled.
 Harmful in contact with skin.
 Harmful if swallowed.
 Danger through skin absorption.
 The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification:**67-56-1 Methanol**

Oral	LD50	14200 mg/kg (rabbit)
Inhalative	LC50/6H	41000 ppm/6H (mouse)

67-63-0 2-Propanol

Oral	LD50	3600 mg/kg (mouse) 5000 mg/kg (rat)
Dermal	LD50	12800 mg/kg (rabbit)
Inhalative	LC50/8H	16000 ppm/8H (rat)

Skin irritation or corrosion: May cause irritation**Eye irritation or corrosion:** May cause irritation**Sensitization:** No sensitizing effects known.**Germ cell mutagenicity:**

The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this product.

Carcinogenicity:

ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.

(Contd. on page 6)

USA

Safety Data Sheet
per OSHA HazCom 2012

Printing date 03/27/2014

Reviewed on 03/25/2014

Product name: Ethanol, anhydrous, denatured, 90%, 5% methanol, 5% isopropanol

(Contd. of page 5)

IARC-3: Not classifiable as to carcinogenicity to humans.
ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for components in this product.

Reproductive toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for components in this product.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: May cause damage to organs.

Aspiration hazard: No effects known.

Subacute to chronic toxicity:

The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

12 Ecological information**Toxicity**

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:**General notes:**

Do not allow material to be released to the environment without proper governmental permits.
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations**Waste treatment methods**

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information**UN-Number**

DOT, ADR, IMDG, IATA

UN1987

UN proper shipping name

DOT

Alcohols, n.o.s.

ADR

1987 Alcohols, n.o.s., special provision 640D

IMDG, IATA

ALCOHOLS, N.O.S.

Transport hazard class(es)

DOT



Class

3 Flammable liquids.

(Contd. on page 7)

- USA

Safety Data Sheet
per OSHA HazCom 2012

Printing date 03/27/2014

Reviewed on 03/25/2014

Product name: Ethanol, anhydrous, denatured, 90%, 5% methanol, 5% isopropanol

(Contd. of page 6)

Label 3
ADR



Class 3 (F1) Flammable liquids
Label 3
IMDG, IATA



Class 3 Flammable liquids.
Label 3

Packing group II
DOT, ADR, IMDG, IATA

Environmental hazards:
Marine pollutant (IMDG): No

Special precautions for user Warning: Flammable liquids
Danger code (Kemler): 33
EMS Number: F-E,S-D

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT
Marine Pollutant (DOT): No

UN "Model Regulation": UN1987, Alcohols, n.o.s., special provision 640D, 3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

67-56-1	Methanol	5.0%
67-63-0	2-Propanol	5.0%

California Proposition 65

Prop 65 - Chemicals known to cause cancer

None of the ingredients are listed.

Prop 65 - Developmental toxicity

67-56-1	Methanol	5.0%
---------	----------	------

Prop 65 - Developmental toxicity, female

None of the ingredients are listed.

Prop 65 - Developmental toxicity, male

None of the ingredients are listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

REACH - Pre-registered substances

67-56-1	Methanol
67-63-0	2-Propanol

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- USA

(Contd. on page 8)

Safety Data Sheet
per OSHA HazCom 2012

Printing date 03/27/2014

Reviewed on 03/25/2014

Product name: Ethanol, anhydrous, denatured, 90%, 5% methanol, 5% isopropanol

(Contd. of page 7)

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Health, Safety and Environmental Department.

Date of preparation / last revision 03/27/2014 / -

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organization
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 HMIS: Hazardous Materials Identification System (USA)
 WHMIS: Workplace Hazardous Materials Information System (Canada)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 vPvB: very Persistent and very Bioaccumulative
 ACGIH: American Conference of Governmental Industrial Hygienists (USA)
 OSHA: Occupational Safety and Health Administration (USA)
 NTP: National Toxicology Program (USA)
 IARC: International Agency for Research on Cancer
 EPA: Environmental Protection Agency (USA)
 Flam. Liq. 2: Flammable liquids, Hazard Category 2
 STOT SE 2: Specific target organ toxicity - Single exposure, Hazard Category 2

USA