

Part of Thermo Fisher Scientific

Material Safety Data Sheet

Creation Date 26-Jan-2010 Revision Date 05-Feb-2013 Revision Number 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Heptane

Cat No. BP1115-500; H20-20; H20-200; H340-4; H350-1; H350-4; H350-4LC;

H350N2-19; H350RS-19; H350RS-200; H350SK-1; H350SK-4; H360-1; H360-4; O3008-1; O3008-4; O3008FB-19; O3008FB-50; O3008FB-115; O3008FB-200; O3008RB-200; O3008RS-19; O3008RS-50; O3008RS-115; O3008RS-200; O3008SS-28; O3008SS-50; O3008SS-115; O3008SS-200;

O3387-4

Synonyms n-Heptane; Normal Heptane; Ligroine; Petroleum Ether

(Sequencing/Technical/Spectranalyzed/HPLC/Certified/Laboratory/Optima/Peroxide Free)

Recommended Use Laboratory chemicals

CompanyEmergency Telephone NumberFisher ScientificCHEMTREC®, Inside the USA: 800-

One Reagent Lane 424-9300

Fair Lawn, NJ 07410 CHEMTREC®, Outside the USA: 001-

Tel: (201) 796-7100 703-527-3887

2. HAZARDS IDENTIFICATION

DANGER!

Emergency Overview

Extremely flammable liquid and vapor. Vapor may cause flash fire. Aspiration hazard if swallowed - can enter lungs and cause damage. May cause pulmonary edema. Irritating to eyes and skin. Inhalation may cause central nervous system effects. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Appearance ColorlessPhysical StateLiquidOdorPetroleum distillates

Target Organs Central nervous system (CNS), Skin, Eyes, Blood, Liver, Kidney

Potential Health Effects

Acute Effects

Principle Routes of Exposure

Eyes Irritating to eyes.

Skin Irritating to skin. May be harmful in contact with skin.

Inhalation Inhalation may cause central nervous system effects. May be harmful if inhaled. May cause

irritation of respiratory tract.

Ingestion Aspiration hazard. May be harmful if swallowed. Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhea.

Chronic Effects May cause adverse liver effects. May cause adverse kidney effects.

See Section 11 for additional Toxicological information.

Aggravated Medical Conditions Central nervous system disorders. Skin disorders.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Haz/Non-haz

Component	CAS-No	Weight %
n-Heptane	142-82-5	>99
Methylcyclohexane	108-87-2	0 - 0.2
Dimethylcyclopentane	28729-52-4	0 - 0.1
Isooctane	26635-64-3	0 - 0.1

4. FIRST AID MEASURES

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Obtain medical attention.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation

if victim ingested or inhaled the substance; induce artificial respiration with a respiratory

medical device. Obtain medical attention.

Ingestion Call a physician or Poison Control Center immediately. Do not induce vomiting.

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point -4°C / 24.8°F

Method - No information available.

Autoignition Temperature 215°C / 419°F

Explosion Limits

Upper 6.7 vol % **Lower** 1.05 vol %

Suitable Extinguishing Media CO₂, dry chemical, dry sand, alcohol-resistant foam. Cool closed

containers exposed to fire with water spray.

Unsuitable Extinguishing Media Water may be ineffective

Hazardous Combustion Products

No information available.

Sensitivity to mechanical impactNo information available.Sensitivity to static dischargeNo information available.

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA Health 2 Flammability 3 Instability 0 Physical hazards N/A

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Remove all sources of ignition. Take precautionary

measures against static discharges. Ensure adequate ventilation. Evacuate personnel to safe

areas. Avoid contact with skin, eyes and clothing.

Environmental Precautions Should not be released into the environment. Prevent product from entering drains. Do not

flush into surface water or sanitary sewer system.

Methods for Containment and Clean

Up

Remove all sources of ignition. Soak up with inert absorbent material. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Keep

in suitable, closed containers for disposal..

7. HANDLING AND STORAGE

Handling Use only under a chemical fume hood. Wear personal protective equipment. Keep away from

open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use explosion-proof equipment. Take precautionary measures against static discharges. Do not get in eyes,

on skin, or on clothing. Do not breathe vapors or spray mist.

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat

and sources of ignition. Flammables area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures

Use only under a chemical fume hood. Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH
n-Heptane	TWA: 400 ppm	(Vacated) TWA: 400 ppm	IDLH: 750 ppm
·	STEL: 500 ppm	(Vacated) TWA: 1600 mg/m ³	TWA: 85 ppm
		(Vacated) STEL: 500 ppm	TWA: 350 mg/m ³
		(Vacated) STEL: 2000 mg/m ³	Ceiling: 440 ppm
		TWA: 500 ppm	Ceiling: 1800 mg/m ³
		TWA: 2000 mg/m ³	9
Methylcyclohexane	TWA: 400 ppm	(Vacated) TWA: 400 ppm	IDLH: 1200 ppm
	• •	(Vacated) TWA: 1600 mg/m ³	TWA: 400 ppm
		TWA: 500 ppm	TWA: 1600 mg/m ³
		TWA: 2000 mg/m ³	ŭ
Isooctane	TWA: 300 ppm		

Component	Quebec	Mexico OEL (TWA)	Ontario TWAEV
n-Heptane	TWA: 400 ppm TWA: 1640 mg/m ³ STEL: 500 ppm STEL: 2050 mg/m ³	TWA: 400 ppm TWA: 1600 mg/m³ STEL: 500 ppm STEL: 2000 mg/m³	TWA: 400 ppm STEL: 500 ppm
Methylcyclohexane	TWA: 400 ppm TWA: 1610 mg/m³	TWA: 400 ppm TWA: 1600 mg/m³ STEL: 500 ppm STEL: 2000 mg/m³	TWA: 400 ppm

NIOSH IDLH: Immediately Dangerous to Life or Health

Personal Protective Equipment

Eye/face Protection

Skin and body protection **Respiratory Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Wear appropriate protective gloves and clothing to prevent skin exposure.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Appearance

Odor

Odor Threshold

Vapor Pressure Vapor Density Viscosity

Boiling Point/Range Melting Point/Range

Decomposition temperature

Flash Point **Evaporation Rate Specific Gravity** Solubility

log Pow

Molecular Weight

Liquid Colorless

Petroleum distillates No information available. No information available. 48 mbar @ 20 °C 3.5 (Air = 1.0)

0.4 mPa s at 20 °C 98°C / 208.4°F -91°C / -131.8°F

No information available.

-4°C / 24.8°F

2.8 (Butyl Acetate = 1.0)

0.683

Insoluble in water No data available

100.20

9. PHYSICAL AND CHEMICAL PROPERTIES

Molecular Formula C7 H16

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to Avoid Heat, flames and sparks. Incompatible products.

Incompatible Materials Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO₂), Carbon dioxide (CO₂)

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions . None under normal processing..

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
n-Heptane	>2000 mg/kg (rat)	3000 mg/kg (Rabbit)	103 g/m³ (Rat) 4 h
Methylcyclohexane	3200 mg/kg (Rat)	Not listed	Not listed

Irritation Irritating to eyes and skin

Toxicologically Synergistic

Products

No information available.

Chronic Toxicity

Carcinogenicity There are no known carcinogenic chemicals in this product

SensitizationNo information available.Mutagenic EffectsNo information available.Reproductive EffectsNo information available.Developmental EffectsNo information available.

Teratogenicity No information available.

Other Adverse Effects The toxicological properties have not been fully investigated.. See actual entry in RTECS for

complete information.

Endocrine Disruptor Information No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
n-Heptane	Not listed	375.0 mg/L LC50 96 h	Not listed	EC50: >10 mg/L/24h

Persistence and Degradability No information available

Bioaccumulation/ Accumulation No information available

Mobility .

Component	log Pow
n-Heptane	4.66

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national

hazardous waste regulations to ensure complete and accurate classification.

14. TRANSPORT INFORMATION

DOT

UN-No UN1206
Proper Shipping Name HEPTANES

Hazard Class 3 Packing Group II

TDG

UN-No UN1206
Proper Shipping Name HEPTANES

Hazard Class 3 Packing Group II

IATA

UN-No UN1206
Proper Shipping Name Heptanes

Hazard Class 3 Packing Group ||

IMDG/IMO

UN-No UN1206 Proper Shipping Name Heptanes

Hazard Class 3
Packing Group

15. REGULATORY INFORMATION

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL

	15. REGULATORY INFORMATION										
n-Heptane	Т	Х	-	205-563- 8	-		Х	Х	Х	Х	Х
Methylcyclohexane	Х	Х	-	203-624- 3	-		Х	Х	Х	Х	Х
Dimethylcyclopentane	-	-	-	249-193- 5	-		-	-	-	Х	-
Isooctane	X	-	X	247-861- 0	1		X	Х	1	Х	Х

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA. S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b)

Component	TSCA 12(b)
n-Heptane	Section 4

SARA 313

Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard Yes **Chronic Health Hazard** No Fire Hazard Yes **Sudden Release of Pressure Hazard** No **Reactive Hazard** No

Clean Water Act

Not applicable

Clean Air Act

Not applicable

OSHA

Not applicable

CERCLA

Not Applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals.

State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
n-Heptane	X	X	X	-	Χ
Methylcyclohexane	Х	X	X	-	X
Isooctane	-	-	X	-	-

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations


Mexico - Grade Serious risk, Grade 3

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

B2 Flammable liquid D2B Toxic materials



16. OTHER INFORMATION

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 26-Jan-2010

 Print Date
 05-Feb-2013

Revision Summary "***", and red text indicates revision

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS