40 S. Linden Street, Duquesne, PA 15110 USA

T: +1-412-469-8466

F: +1-412-469-8511

angstromsciences.com

MATERIAL SAFETY DATA SHEET COMPLIES WITH 29 CFR 1910.1200. OSHA HAZARD COMMUNICATION RULE

DATE OF LAST REVISION: 02-04-07

CHEMICAL IDENTITY

LABEL IDENTITY
CHEMICAL NAME/SYNONYMS
TUNGSTEN METAL
TUNGSTEN METAL

FORMULA

CHEMICAL FAMILY METAL HAZARDOUS INGREDIENTS TUNGSTEN

%: 100 CAS: 7440-33-7 TLV: 5 mg/m3 OSHA/PEL: 5mg/m3

PHYSICAL AND CHEMICAL PROPERTIES

COLOR, FORM AND ODOR Silver-grey to black in color. Odorless.

BOILING POINT 5927

DENSITY (gm/cc) 19.3

VAPOR PRESSURE @ 20° 1@21 C

% VOLATILE BY VOLUME (%) 0

% VOLATILE BY VOLUME (%)

REACTION WITH WATER

EVAPORATION RATE (H20=1)

SOLUBILITY IN WATER

NA

Insoluble

MELTING POINT 3410

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT NA
AUTOIGNITION TEMPERATURE (° C)
ND

AUTOIGNITION TEMPERATURE (° C)
FLAMMABILITY

FLAMMABILITY

Weak fire hazard. Dust is flammable.

EXTINGUISHING MEDIA

Dry chemical. Cover burning material with an

inert substance, such as dry sand, salt, or

limestone to exclude oxygen.

SPECIAL FIRE FIGHTING PROCEDURES Wear NIOSH/MSHA approved self-contained

breathing apparatus and full protective

clothing.

UNUSUAL FIRE & EXPLOSION HAZARDS Weak fire and explosion hazard depending on

particulate size and dispersion in air. Dust is

flammable when exposed to flame.

GENERAL HAZARDS: Tungsten powder may present a fire or

explosion hazard under favoring conditions

of particle size, dispersion, and strong

ignition source.

40 S. Linden Street, Duquesne, PA 15110 USA

T: +1-412-469-8466

F: +1-412-469-8511

angstromsciences.com

TUNGSTEN

MATERIAL SAFETY DATA SHEET

HEALTH HAZARD INFORMATION

TOXICITY DATA: Most studies have shown Tungsten to be toxicologically inert. Dust inhalation may cause irritation of the nose and throat. Skin and eye contact may cause irritation due to abrasive action of the dust. Mildly toxic by an unspecified route. Experimental teratogen and reproductive effects.

ROUTES OF ENTRY INHALATION: Yes

SKIN: Yes INGESTION: Yes EYES: Yes

MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE: **Chronic: Possible pulmonary fibrosis.**

EFFECTS OF OVEREXPOSURE (acute and chronic):

INHALATION: Two Russian studies found signs of pulmonary fibrosis in some workers exposed to Tungsten Trioxide and Tungsten Carbide.

DERMAL/EYE: Dust may cause irritation to eyes. Abrasive action of the dust may cause skin irritation.

INGESTION: No adverse affects are likely.

CARCINOGENICITY: No NTP: No IARC MONOGRAPHS: No OSHA REGULATE: No

EMERGENCY FIRST AID PROCEDURES:

INGESTION: If a substantial quantity of Tungsten is swallowed, give person (if conscious) a large quantity of water to drink, induce vomiting, and seek medical attention.

INHALATION: Remove victim to fresh air. Administer oxygen. Seek medical attention.

SKIN CONTACT: Brush material off skin. Wash affected area with soap and water. Prevent further contact with the dust. If irritation persists, seek medical attention. EYE CONTACT: If irritation occurs, flush eye(s) with copious amounts of water for 15 minutes. Seek medical attention.

REACTIVITY DATA

STABILITY INCOMPATIBILITY (MATERIALS TO AVOID)

HAZARDOUS DECOMPOSITION PRODUCTS HAZARDOUD POLYMERZATION CONDITIONS TO AVOID Stable

Strong acids, Halogens, fluorine gas at room temperature
Will form trioxide when heated.
Will Not Occur
Exposure to air

40 S. Linden Street, Duquesne, PA 15110 USA

T: +1-412-469-8466

F: +1-412-469-8511

angstromsciences.com

TUNGSTEN

MATERIAL SAFETY DATA SHEET

SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Wearing full protective clothing, isolate the area and insure proper ventilation. Vacuum up spill and place in a container for proper disposal.

WASTE DISPOSAL METHOD:

In accordance with regulations.

SPECIAL PROTECTIVE INFORMATION

RESPIRATORY PROTECTION

LOCAL EXHAUST

MECHANICAL (general)

SPECIAL OTHER

PROTECTIVE GLOVES EYE PROTECTION

OTHER PROTECTIVE EQUIPMENT

NIOSH/MSHA approved respirator

Recommended when dust levels are

excessive.

Recommended

None NA

Rubber gloves

Safety glasses with side shields

Maintain sink, safety shower and eyewash

fountain in the work area. Wear full protective clothing at all times.

SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING/STORAGE:

Store in tightly closed containers in a cool, dry place. Wash hands and face thoroughly. Avoid breathing dust.

TRANSPORTATION REQUIREMENTS DOT CLASS: Not Classified

UN NUMBER: NC IMCO CLASS: NC OTHER: ---

PRECAUTIONARY LABELING NONE

THE ABOVE INFORMATION IS ACCURATE TO THE BEST OF OUR KNOWLEDGE. HOWEVER, SINCE DATA, SAFETY STANDARDS AND GOVERNMENT REGULATIONS ARE SUBJECT TO CHANGE THE CONDITIONS OF HANDLING AND USE, OR MISUSE ARE BEYOND OUR CONTROL, **ANGSTROM SCIENCES** MAKE NO WARRANTY, EITHER EXPRESSED OR IMPLIED, WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN AND DISCLAIMS ALL LIABILITY FOR THE RELIANCE THEREON. USER SHOULD SATISFY HIMSELF THAT HE HAS ALL CURRENT DATA RELEVANT TO HIS PARTICULAR USE.

NA= NOT APPLICABLE

ND= NO DATA FOUND