

PAGE 1 of 9

Rev. Date: 18 December 2008

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION -----

PRODUCT USE:

Organic Polymer Solution

TRADE NAME: PRODUCT #:

LOR A Series Resists See Table 1 – Section 9

SUPPLIER:

MicroChem Corporation

90 Oak Street, PO Box 426

Newton, MA 02464-0002

TELEPHONE:

(617) 965-5511

FAX:

(617) 965-5818

CHEMTREC USA

EMERGENCY #:

(800) 424-9300

CHEMTREC INTL

EMERGENCY #:

(703) 527-3887

MSDS DATE:

18 December 2008

SECTION 2. HAZARDS IDENTIFICATION -----

Hazardous Classification

Acute toxicity (oral) - Category 4

Acute toxicity (inhalation – gas/vapour) – Category 4

Flammable liquids - Category 3

Serious eye damage/eye irritation - Category 2A Skin corrosion/irritation - Category 3

Target organ systemic toxicant single exp - Category 3

Target organ systemic toxicant repeat exp - Category 2







Signal Word: WARNING!

Hazards

Flammable liquid and vapour.

Causes serious eye irritation.

Causes mild skin irritation.

Harmful if inhaled.

Harmful if swallowed.

May cause damage to organs through prolonged or repeated exposure.

May cause drowsiness and dizziness.

May cause respiratory irritation.

Precautions

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wash hands thoroughly after handling.

Do not breathe mist or vapors.

Keep away from heat, sparks and open flame. - No smoking.

Use explosion-proof equipment.

Wear protective gloves and eye/face protection.

PAGE 2 of 9

Rev. Date: 18 December 2008

CHEMICAL NAME: Organic Polymer Solution TRADE NAME: PRODUCT #:

LOR A Series Resists See Table 1 – Section 9

Take precautionary measures against static discharge. If skin irritation occurs, get medical advice/attention.

IF INHALED: remove to fresh air and keep at rest in a position comfortable for breathing. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Rinse mouth.

Call a POISON CENTRE or doctor/physician if you feel unwell. Use extinguishing measures that are appropriate to local circumstances

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS ------

INGREDIENTS:

Cyclopentanone (CAS: 120-92-3); 65-90%.

Propylene glycol monomethyl ether (CAS: 107-98-2); 10-15% Polyaliphatic imide copolymer (CAS: 102322-80-5); 1-20%

Proprietary Dye; 0.1 - 2% Proprietary Surfactant; <1%

SECTION 4. FIRST AID MEASURES-----

INHALATION:

If respiratory irritation or distress occurs remove victim to fresh air and

seek medical attention.

INGESTION:

Do not induce vomiting unless instructed to do so by a physician. Wash out mouth with water and keep at rest. Seek immediate medical attention.

SKIN CONTACT:

In case of contact, immediately wash with plenty of soap and water for at least 5 minutes. Seek medical attention. Remove contaminated clothing

and shoes. Clean contaminated clothing and shoes before re-use.

EYE CONTACT:

Hold eyelids open and flush with a steady, gentle stream of water for at

least 15 minutes. Seek medical attention.

SECTION 5. FIRE-FIGHTING MEASURES-----

EXTINGUISHING

MEDIA:

Dry chemical, carbon dioxide, alcohol foam, and universal foam.

SPECIAL FIRE FIGHTING

PRECAUTIONS:

Firefighters should wear NIOSH/MSHA approved self-

contained breathing apparatus and full protective clothing.

Remove all ignition sources if it can be done safely.

UNUSUAL FIRE OR **EXPLOSION HAZARDS:**

Product will burn under fire conditions. Containers may explode (due to build-up of pressure) when exposed to extreme heat. Vapors may travel a considerable distance to a source of

ignition and flash back along vapor trail.

TicroChem Co	rp. 90 Oak Street, PO B	ox 426•Newton, MA 02464-0002•Tel:(617)965	-5511•Fax:(617)965-5818

PAGE 3 of 9

Rev. Date: 18 December 2008

TRADE NAME:

CHEMICAL NAME: Organic Polymer Solution LOR A Series Resists

PRODUCT #:

See Table 1 – Section 9

SECTION 6. ACCIDENTAL RELEASE MEASURES-----

EVACUATION

PROCEDURES & SAFETY:

Wear appropriate protective gear for the situation. See Personal

Protection information in Section 8.

CLEANUP & DISPOSAL

OF SPILL:

Absorb with an inert absorbent. Sweep up and place in an appropriate closed container (see Section 7). Clean up residual

material by washing area with water. Collect washings for

disposal.

ENVIRONMENTAL &

REGULATORY REPORTING: Do not flush to drain. If required proper authorities should be

notified.

SECTION 7. HANDLING AND STORAGE-----

PRECAUTIONS:

Store container tightly closed in well-ventilated place.

STORAGE:

Store in tightly closed container in a cool, dry, well-ventilated

environment away from ignition sources. Recommended container

materials are polyethylene or glass.

HANDLING:

Use only under yellow light.

Keep away from heat, sparks, and flames.

Use only with mechanical exhaust.

Do not contact with skin, eyes, and clothing. Severe eye irritant.

Avoid prolonged or repeated contact with skin.

Do not breathe vapors or mist.

Wash with soap and water after handling. Have safety shower and eve wash available.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION------

OCCUPATIONAL

EXPOSURE LIMITS:

Propylene glycol monomethyl ether: ACGIH TLV 100 ppm 8hr

TWA, STEL 150 ppm.

RESPIRATORY

PROTECTION:

Under normal conditions, use of air-purifying (half-mask/full-face)

respirator with cartridges/canisters approved for use against organic

vapors, dust, mists and fumes is recommended.

VENTILATION:

General area dilution/exhaust ventilation.

SKIN PROTECTION:

Skin contact should be minimized through the use of gloves and

suitable long-sleeved clothing.

EYE PROTECTION:

Eye contact should be prevented through use of chemical safety

glasses with side shields or splash proof goggles.

MicroChem Corp. 90 Oak Street, PO Box 426 Newton, MA 02464-0002 Tel: (617)965-5511 Fax: (617)965-5818

PAGE 4 of 9

Rev. Date: 18 December 2008

CHEMICAL NAME: Organic Polymer Solution TRADE NAME: LOR A Series Resists PRODUCT #: See Table 1 – Section 9

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES-----

APPEARANCE:

Clear, red

ODOR:

Slightly sweet

BOILING POINT:

120-130 °C (248-266 °F)

SPECIFIC GRAVITY:

See Table 1 below, @ 20 °C (68 °F)

VAPOR PRESSURE:

9 mm Hg @ 20 °C (68 °F)

VAPOR DENSITY:

2.3 (air=1)

H₂O SOLUBILITY: %VOLATILES:

10-20% @ 20 °C, by wt. See Table 1 below

FLASH POINT:

30 °C (86 °F) TCC

AUTOIGNITION TEMP: FLAMMABILITY LIMITS: 278 °C (532 °F)

1.3 lower (vol/vol %)

unk. Upper

Table 1

Name	Product #	Specific Gravity	Volatiles (% by wt)	VOC (g/L)
LOR 0.5A	G516602	0.965	98	945
LOR 0.7A	G516603	0.968	97	940
LOR 1A	G516604	0.973	96	940
LOR 2A	G516605	0.977	95	935
LOR 3A	G516606	0.98	94	920
LOR 4A	G516607	0.982	93	915
LOR 5A	G516608	0.984	92	905
LOR 6A	G516658	0.986	92	905
LOR 7A	G516609	0.988	91	900
LOR 8A	G516610	0.988	90	895
LOR 10A	G516611	0.99	89	885
LOR 15A	G516612	0.99	87	860
LOR 20A	G516614	0.99	86	850
LOR 30A	G516616	0.99	84	830
LOR 50A	G516619	0.995	81	820

SECTION 10. STABILITY AND REACTIVITY-----

STABILITY:

Stable

INCOMPATIBILITY:

Strong Oxidizing Agents, Strong Bases, Strong Acids, Strong Reducing Agents, Iron, Hydrazine

HAZARDOUS POLYMERIZATION: May occur. Avoid extreme pH.

HAZARDOUS COMBUSTION OR

DECOMPOSITION PRODUCTS: Oxides of carbon.

SECTION 11. TOXICOLOGICAL INFORMATION-----

Routes of Entry: Inhalation, ingestion, eye and skin contact

MicroChem Corp. 90 Oak Street, PO Box 426•Newton, MA 02464-0002•Tel:(617)965-5511•Fax:(617)965-5818

1003A

SAFETY DATA SHEET

PAGE 5 of 9

Rev. Date: 18 December 2008

TRADE NAME:

CHEMICAL NAME: Organic Polymer Solution LOR A Series Resists See Table 1 – Section 9

PRODUCT #:

Symptoms of Exposure: Causes severe eye irritation. Causes mild skin irritation. May cause upper respiratory tract irritation, central nervous system depression, shortness of breath, drowsiness and confusion. Prolonged, repeated exposure to high concentrations can cause adverse effects to liver and kidney.

Acute Toxicity

Acute Oral Toxicity

Component: Cyclopentanone LD50 rat 1180 mg/kg

Component: Propylene glycol monomethyl ether

LD50 rat 6100 mg/kg

Component: Polyaliphatic imide copolymer

LD50 rat >5000 mg/kg

Acute Dermal Toxicity

Component: Cyclopentanone LD50 rabbit >5000 mg/kg Component: Propylene glycol monomethyl ether LD50 rat 13,000 mg/kg Component: Polyaliphatic imide copolymer

LD50 rabbit >5000 mg/kg

Acute Inhalation Toxicity

Component: Cyclopentanone LC50 rat 19.5 mg/l Component: Propylene glycol monomethyl ether LC50 rat 54.6 mg/l 4 hr

Specific Concentration Limits

The values listed below represent the percentages of ingredients of unknown toxicity: 3.5% Acute oral toxicity 3.5% Acute dermal toxicity 14.5% Acute inhalation toxicity

Skin corrosion/irritation

Component: Cyclopentanone

Acute Škin Irritation: skin irritation, 500mg, rabbit. Mildly irritating

Component: Propylene glycol monomethyl ether

Acute Skin Irritation: this substance is a mild skin irritant

Serious eye damage/eye irritation

Component: Cyclopentanone

Acute Eye Irritation: eye irritation, 100mg, rabbit. Severely irritating.

Component: Propylene glycol monomethyl ether

Acute Eye Irritation: Liquid is not irritating to eye. Mild eye irritation reported with

vapor.

MicroChem Corp. 90 Oak Street, PO Box 426 Newton, MA 02464-0002 Tel:(617)965-5511 Fax:(617)965-5818

PAGE 6 of 9 Rev. Date: 18 December 2008

CHEMICAL NAME: Organic Polymer Solution LOR A Series Resists

PRODUCT #: See Table 1 – Section 9

Respiratory or Skin Sensitisation

Component: Cyclopentanone

Skin sensitization – guinea pig – not a sensitizer Skin sensitization – human – not a sensitizer Component: Propylene glycol monomethyl ether

Skin sensitization - Did not induce skin sensitization

Carcinogenicity

Component: Cyclopentanone

Not considered carcinogenic by NTP, IARC, ACGIH or OSHA.

Component: Propylene glycol monomethyl ether

Studies in laboratory animals indicate that this substance is not carcinogenic.

Germ Cell Mutagenicity

Component: Cyclopentanone

Ames Test – negative with and without metabolic activation

Component: Propylene glycol monomethyl ether

No evidence of genotoxicity in standard bacterial and mammalian test systems in vitro.

Specific Target Organ Systemic Toxicity (single exposure)

Component: Cyclopentanone

Central Nervous system

Component: Propylene glycol monomethyl ether

Central Nervous System

Specific Target Organ Systemic Toxicity (repeated exposure)

Component: Cyclopentanone

Central Nervous System

Component: Propylene glycol monomethyl ether

Central Nervous System, Liver, Kidney

Toxicity to Reproduction

Component: Cyclopentanone

No adverse effects to reproduction or adverse developmental effects known.

Component: Propylene glycol monomethyl ether

This substance is not expected to cause adverse reproductive effects at dose levels that are not also toxic to the parent.

Aspiration Hazards

No data found.

SECTION 12. ECOLOGICAL INFORMATION-----

Acute aquatic toxicity

Acute toxicity to fish

Component: Cyclopentanone

48 hr LC50 Leuciscus idus melanotus: 2950 mg/L

Component: Propylene glycol monomethyl ether

96-h LC50 (Pimephales promelas): 20,800 mg/L

MicroChem Corp. 90 Oak Street, PO Box 426*Newton, MA 02464-0002*Tel:(617)965-5511*Fax:(617)965-5818

PAGE 7 of 9

Rev. Date: 18 December 2008

TRADE NAME:

CHEMICAL NAME: Organic Polymer Solution LOR A Series Resists

PRODUCT #:

See Table 1 – Section 9

Acute toxicity to aquatic invertebrates

Component: Cyclopentanone

24 hr EC50 Daphnia magna: 1435 mg/L Component: Propylene glycol monomethyl ether 96-h EC50 Daphnia magna: 23,300 mg/L

Acute toxicity to algae

Component: Cyclopentanone

72 hr EC50 Scenedesmus subspicatus >100 mg/l

Component: Propylene glycol monomethyl ether 96 hr EC50 green algae >1,000 mg/l

Specific concentration limits

The values listed below represent the percentages of ingredients of unknown toxicity.

15% Acute aquatic toxicity – fish

15% Acute aquatic toxicity – aquatic invertebrates

15% Acute aquatic toxicity - algae

Chronic aquatic toxicity

Chronic toxicity to fish

No data found

Chronic toxicity to aquatic invertebrates

No data found

Chronic toxicity to algae

No data found

Persistance/Degradability

Component: Cyclopentanone

Inherently biodegradable

Component: Propylene glycol monomethyl ether

Biodegradable under aerobic or anaerobic conditions. Aerobic biodegradation of 96% after 28 days. Anaerobic biodegradation of 38% after 81 days (30 day lag period).

Bioaccumulation

Component: Cyclopentanone

Not expected to bioaccumulate

Component: Propylene glycol monomethyl ether

Not expected to bioaccumulate in aquatic organisms. Log Kow (calculated):

-0.437

Mobility

Component: Cyclopentanone

No data found

Component: Propylene glycol monomethyl ether

Rapid dissipation in soil expected. Koc value between 1 and 50 indicating very high soil mobility.

MicroChem Corp. 90 Oak Street, PO Box 426 Newton, MA 02464-0002 Tel:(617)965-5511 Fax:(617)965-5818

PAGE 8 of 9

Rev. Date: 18 December 2008

CHEMICAL NAME: Organic Polymer Solution TRADE NAME: LOR A Series Resists PRODUCT #: See Table 1 – Section 9

SECTION 13. DISPOSAL CONSIDERATIONS-----

Precautions

CONTAINERS MAY BE HAZARDOUS WHEN EMPTY. Since emptied containers retain product residue follow all MSDS and label warnings even after container is emptied. Dispose of contents/container in accordance with local regulation.

Disposal

Comply with applicable local, state or international regulations regarding the proper disposal of this material and/or containers. Dispose of contents/container in accordance with local regulations.

SECTION 14. TRANSPORTATION INFORMATION------

HAZARD CLASSIFICATION: Flammable Liquid SHIPPING NAME: Resin Solution UN 1866 UN NUMBER: **PACKING GROUP** Ш

SECTION 15. REGULATORY INFORMATION-----

US AND INTERNATIONAL INFORMATION

TSCA (US)- Components are listed or comply with Chemical Inventories:

TSCA regulations.

DSL/NDSL (Canada) – Components are listed or are

exempt.
EINECS/ELINCS/NLP (EU) – Components are listed or

exempt.

This product IS NOT subject to SARA Title III, Section SARA Title III:

313 Reporting Requirements.

Calif. SCAQMD Rule 443.1 VOC's: See Table 1 – Section 9

SECTION 16. OTHER INFORMATION-----

National Fire Protection Association Hazard Ratings – NFPA:

- Health Hazard RatingFlammability RatingReactivity Rating

For additional information contact: productsafety@microchem.com

To the best of our knowledge, the above information is believed to be accurate but does not claim to be all-inclusive and is intended to be used only as a guide. The supplier makes no warranty of any kind, expressed or implied, concerning the use of this product

MicroChem Corp. 90 Oak Street, PO Box 426•Newton, MA 02464-0002•Tel:(617)965-5511•Fax:(617)965-5818

PAGE 9 of 9 Rev. Date: 18 December 2008

CHEMICAL NAME: Organic Polymer Solution TRADE NAME: LOR A Series Resists PRODUCT #: See Table 1 – Section 9

and shall not be held liable for any damage resulting from handling or from contact with the above product. User assumes all risks incident to its use.

MSDS Revision Information: NEW

MicroChem Corp. 90 Oak Street, PO Box 426•Newton, MA 02464-0002•Tel:(617)965-5511•Fax:(617)965-5818