

TEL: (617) 965 - 5511 FAX: (617) 965 - 5818

OmniCoat [™]

Adhesion/Release Layer

Product No.

G112850

Lot No.

06070499 7/1/2006

Expiration

8/1/2007 Manufactured

CERTIFICATE OF ANALYSIS

MicroChem Corp. has completed the analysis of the above lot of material with the results listed below.

	<u>Specification</u>	Result
Appearance	Clear, colorless to yellow	Clear, colorless
Solids Content, %	0.50 +/- 0.05	0.52
Viscosity at 25° C, cst	Run & Record	1.28
Filtration Level	0.2 μm	0.2 μm

MicroChem Corp. hereby certifies that the above material meets all specifications for this product and conforms to our Quality Assurance requirements.

Certified by:

Thomas Quinney QC Supervisor

21-Jul-06



1254 Chestnut Street Newton, MA 02464-1418 Tel: (617) 965-5511

Fax: (617) 965-5818

MATERIAL SAFETY DATA SHEET

PAGE 1 01 February2005

SECTION 1. CHEMICAL IDENTIFICATION -----

CHEMICAL NAME:

Organic Polymer Solution OmniCoatTM

TRADE NAME:

PRODUCT #:

G112850

SECTION 2. COMPOSITION-----

HAZARDOUS

INGREDIENTS:

Cyclopentanone (CAS: 120-92-3); 70-90%.

Propylene glycol monomethyl ether (107-98-2); 10-20%

OTHER

INGREDIENTS:

Proprietary polymer <1%

Proprietary Surfactant, <1%

SECTION 3. HAZARD DATA-----

INFLAMMABILITY:

SKIN CONTACT:

Flammable liquid.

EYE CONTACT:

Irritant. Severe eve irritant.

INGESTION: INHALATION:

Harmful if ingested. Harmful if inhaled. Data not available.

MUTAGENICITY: CARCINOGENICITY:

Data not available.

TARGET ORGANS:

Eyes, Epidermis, Nervous System.

SECTION 4. FIRST AID MEASURES----

INHALATION:

Inhalation is not an expected route of exposure. If respiratory irritation or

distress occurs remove victim to fresh air. Seek medical attention if

respiratory irritation or distress continues.

INGESTION:

If victim is conscious and alert, give 2-3 glasses of water to drink and induce vomiting by touching back of throat with a finger. Do not induce vomiting or give anything by mouth to an unconscious person. Seek immediate medical attention. Do not leave victim unattended. Vomiting may occur spontaneously. To prevent aspiration of swallowed product, lay victim on side with head lower than waist. If vomiting occurs and the

victim is conscious, give water to further dilute the chemical.

SKIN CONTACT:

In case of contact, immediately wash with plenty of soap and water for at

least 5 minutes. Seek medical attention. Remove contaminated clothing and shoes. Clean contaminated clothing and shoes before re-use.

EYE CONTACT:

Hold eyelids open and flush with a steady, gentle stream of water for at

least 15 minutes. Seek medical attention.

MATERIAL SAFETY DATA SHEET

PAGE 3 01 February 2005

CHEMICAL NAME:

Organic Polymer Solution

TRADE NAME:

OmniCoatTM

PRODUCT #:

G112850

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION-----

RESPIRATORY

PROTECTION:

Under normal conditions, use of air-purifying (half-mask/full-face)

respirator with cartridges/canisters approved for use against organic

vapors, dust, mists and fumes is recommended.

VENTILATION:

General area dilution/exhaust ventilation.

SKIN PROTECTION:

Skin contact should be minimized through the use of gloves and

suitable long-sleeved clothing.

EYE PROTECTION:

Eye contact should be prevented through use of chemical safety glasses

with side shields or splash proof goggles.

SECTION 9. PHYSICAL AND CHEMICAL DATA-----

APPEARANCE:

Pale yellow to clear

ODOR:

Slightly sweet

BOILING POINT:

120-130 °C (248-266 °F)

SPECIFIC GRAVITY: VAPOR PRESSURE:

0.955 @ 20 °C (68 °F) 9 mm Hg @ 20 °C (68 °F)

VAPOR DENSITY:

2.3 (air=1)

H₂O SOLUBILITY:

10-20% @ 20 °C, by wt.

% VOLATILES:

99.5

FLASH POINT:

30 °C (86 °F) TCC 278 °C (532 °F)

AUTOIGNITION TEMP:

FLAMMABILITY LIMITS:

1.3 lower (vol/vol %)

unk. Upper

SECTION 10. REACTIVITY DATA -----

STABILITY:

Stable

INCOMPATIBILITY:

Strong Oxidizing Agents, Strong Bases, Strong

Acids, Strong Reducing Agents, Iron, Hydrazine May occur. Avoid extreme pH.

HAZARDOUS POLYMERIZATION:

HAZARDOUS COMBUSTION OR

DECOMPOSITION PRODUCTS:

Oxides of carbon.

SECTION 11. TOXICITY HAZARDS-----

As cyclopentanone:

Acute Eye Irritation: eye irritation, 100mg, rabbit. Severely irritating. Acute Skin Irritation: skin irritation, 500mg, rabbit. Mildly irritating.

Acute Dermal Toxicity: LD50 - lethal dose 50% of test species, >5000 mg/kg, rabbit.

Acute Respiratory Irritation: no test data found for product. Acute Inhalation Toxicity: no test data found for product.

Acute Oral Toxicity: LD50 – lethal dose 50% of test species, 1180 mg/kg, rat.

MATERIAL SAFETY DATA SHEET

PAGE 5 01 February 2005

CHEMICAL NAME:

Organic Polymer Solution

TRADE NAME:

OmniCoatTM

PRODUCT #:

G112850

SECTION 15. REGULATORY INFORMATION-----

EUROPEAN INFORMATION

EINECS LISTED

EC Index Nos: Cyclopentanone 606-025-00-9, 1-Methoxy-2-Propanol, 603-064-00-3

RISK & SAFETÝ PHRASES

R10

Flammable

R36/37/38

Irritating to eyes, respiratory system and skin

R20/21/22

Harmful by inhalation, skin contact and if swallowed.

S23

Do not breath vapor

S24

Avoid contact with skin

US AND INTERNATIONAL INFORMATION

HAZARDOUS LISTINGS:

All ingredients appear on the TSCA Inventory of

Chemical Substances and the Japan Hazardous Chemical

Listing.

SARA Title III:

This product IS NOT subject to SARA Title III. Section

313 Reporting Requirements.

Calif. SCAQMD Rule 443.1 VOC's:

950 g/L

SECTION 16. ADDITIONAL PRECAUTIONS AND COMMENTS-----

National Fire Protection Association Hazard Ratings – NFPA:

- Health Hazard Rating
- Flammability Rating
- Reactivity Rating

To the best of our knowledge, the above information is believed to be accurate but does not claim to be all-inclusive and is intended to be used only as a guide. The supplier makes no warranty of any kind, expressed or implied, concerning the use of this product and shall not be held liable for any damage resulting from handling or from contact with the above product. User assumes all risks incident to its use.

MSDS Revision Information:

A) Section 15: Added European Regulatory information.