MSDS Number: P3973 \*\* \* \* \* Effective Date: 01/03/06 \* \* \* \* \* Supercedes: 08/31/04

MSDS Material Safety Data Sheet

From: Mallinckrodt Baker, Inc. 222 Red School Lane Phillipsburg, NJ 08865

Mallinckrodt J. CHEMICALS

J.T.Baker

24 Hour Emergency Telephone: 908-859-2151 CHEMTREC: 1-800-424-9300

National Response in Canada CANUTEC: 613-996-6666

Outside U.S. and Canada Chemtrec: 703-527-3887

NOTE: CHEMTREC, CANUTEC and National Response Center emergency numbers to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident involving chemicals.

All non-emergency questions should be directed to Customer Service (1-800-582-2537) for assistance.

## PHOSPHORIC ACID

## 1. Product Identification

Synonyms: Ortho-phosphoric acid; white phosphoric acid

**CAS No.:** 7664-38-2 **Molecular Weight:** 98.00

Chemical Formula: H3PO4 in H2O

**Product Codes:** 

J.T. Baker: 0238, 0248, 0259, 0260, 0262, 0263, 0264, 0268, 0269, 0273, 0274, 5372, 5682, 5686, 5804, 5841,

5854, 6908

Mallinckrodt: 2779, 2788, 2796, 3563, H106, XM-223

# 2. Composition/Information on Ingredients

Ingredient	CAS No	Percent	Hazardous
Phosphoric Acid	7664-38-2	55 - 95%	Yes
Water	7732-18-5	5 - 45%	No

## 3. Hazards Identification

**Emergency Overview** 

DANGER! CORROSIVE. CAUSES SEVERE IRRITATION AND BURNS TO EVERY AREA OF CONTACT. HARMFUL IF SWALLOWED OR INHALED.

SAF-T-DATA<sup>(tm)</sup> Ratings (Provided here for your convenience)

Health Rating: 3 - Severe Flammability Rating: 0 - None Reactivity Rating: 2 - Moderate

Contact Rating: 4 - Extreme (Corrosive)

Lab Protective Equip: GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES

Storage Color Code: White (Corrosive)

\_\_\_\_\_\_

### Potential Health Effects

\_\_\_\_\_

#### Inhalation:

Inhalation is not an expected hazard unless misted or heated to high temperatures. Mist or vapor inhalation can cause irritation to the nose, throat, and upper respiratory tract. Severe exposures can lead to a chemical pneumonitis.

#### Ingestion:

Corrosive. May cause sore throat, abdominal pain, nausea, and severe burns of the mouth, throat, and stomach. Severe exposures can lead to shock, circulatory collapse, and death.

### Skin Contact:

Corrosive. May cause redness, pain, and severe skin burns.

#### **Eye Contact:**

Corrosive. May cause redness, pain, blurred vision, eye burns, and permanent eye damage.

## Chronic Exposure:

No information found.

## Aggravation of Pre-existing Conditions:

Persons with pre-existing skin disorders or eye problems, or impaired respiratory function may be more susceptible to the effects of the substance.

## 4. First Aid Measures

#### Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician immediately.

#### Ingestion:

If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

### Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician, immediately. Wash clothing before reuse.

## Eye Contact:

Immediately flush eyes with gentle but large stream of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Call a physician immediately.

# 5. Fire Fighting Measures

#### Fire

Not considered to be a fire hazard. Contact with most metals causes formation of flammable and explosive hydrogen gas.

### Explosion:

Not considered to be an explosion hazard.

### Fire Extinguishing Media:

Use any means suitable for extinguishing surrounding fire. Water spray may be used to keep fire exposed containers cool. If water is used, use in abundance to control heat and acid build-up.

## Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

## 6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Contain and recover liquid when possible. Neutralize with alkaline material (soda ash, lime), then absorb with an inert material (e. g., vermiculite, dry sand, earth), and place in a chemical waste container. Do not use combustible materials, such as saw dust. Do not flush to

2 of 6

sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

J. T. Baker NEUTRASORB® acid neutralizers are recommended for spills of this product.

## 7. Handling and Storage

Keep in a tightly closed container. Protect from physical damage. Store in a cool, dry, ventilated area away from sources of heat, moisture, incompatibilities, and direct sunlight. Corrosive to mild steel. Store in rubber lined or 316 stainless steel designed for phosphoric acid. Do not wash out container and use it for other purposes. When diluting, the acid should always be added slowly to water and in small amounts. Never use hot water and never add water to the acid. Water added to acid can cause uncontrolled boiling and splashing. Protect from freezing. Containers of this material may be hazardous when empty since they retain product residues (vapors, liquid); observe all warnings and precautions listed for the product.

## 8. Exposure Controls/Personal Protection

### Airborne Exposure Limits:

-OSHA Permissible Exposure Limit (PEL): 1 mg/m3 (TWA)

-ACGIH Threshold Limit Value (TLV): 1 mg/m3 (TWA), 3 mg/m3 (STEL)

## Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

## Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded, a full facepiece respirator with high efficiency dust/mist filter may be worn up to 50 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. WARNING: Air purifying respirators do not protect workers in oxygen-deficient atmospheres.

### Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

## Eye Protection:

Use chemical safety goggles and/or a full face shield where splashing is possible. Maintain eye wash fountain and quick-drench facilities in work area.

# 9. Physical and Chemical Properties

Physical data below refers to concentrated phosphoric acid.

### Appearance:

Clear, colorless syrupy liquid.

Odor:

Odorless.

### Solubility:

Miscible in all proportions in water.

Specific Gravity:

1.69 @ 25C

pH:

1.5 (0.1 N aqueous solution)

```
% Volatiles by volume @ 21C (70F):
100

Boiling Point:
158C (316F)

Melting Point:
21C (70F)

Vapor Density (Air=1):
3.4

Vapor Pressure (mm Hg):
0.03 @ 20C (68F)

Evaporation Rate (BuAc=1):
No information found.
```

## 10. Stability and Reactivity

## Stability:

Stable under ordinary conditions of use and storage. Substance can supercool without crystallizing.

### **Hazardous Decomposition Products:**

Phosphorus oxides may form when heated to decomposition.

### Hazardous Polymerization:

Will not occur.

## Incompatibilities:

Liberates explosive hydrogen gas when reacting with chlorides and stainless steel. Can react violently with sodium tetrahydroborate. Exothermic reactions with aldehydes, amines, amides, alcohols and glycols, azo-compounds, carbamates, esters, caustics, phenols and cresols, ketones, organophosphates, epoxides, explosives, combustible materials, unsaturated halides, and organic peroxides. phosphoric acid forms flammable gases with sulfides, mercaptans, cyanides and aldehydes. It also forms toxic fumes with cyanides, sulfide, fluorides, organic peroxides, and halogenated organics. Mixtures with nitromethane are explosive.

### Conditions to Avoid:

Incompatibles.

# 11. Toxicological Information

Oral rat LD50: 1530 mg/kg; investigated as a mutagen.

\Cancer Lists\			
Ingredient		Carcinogen Anticipated	IARC Category
Phosphoric Acid (7664-38-2) Water (7732-18-5)	No No	No No	None None

## 12. Ecological Information

### **Environmental Fate:**

When released into the soil, this material may leach into groundwater. When released to water, acidity may be readily reduced by natural water hardness minerals. The phosphate, however, may persist indefinitely.

### **Environmental Toxicity:**

No information found.

# 13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be handled as hazardous waste and sent to a RCRA approved incinerator or disposed in a RCRA approved waste facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal

regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

# 14. Transport Information

Domestic (Land, D.O.T.)

Proper Shipping Name: PHOSPHORIC ACID SOLUTION

Hazard Class: 8 UN/NA: UN1805 Packing Group: III

Information reported for product/size: 350LB

International (Water, I.M.O.)

Proper Shipping Name: PHOSPHORIC ACID SOLUTION

Hazard Class: 8 UN/NA: UN1805 Packing Group: III

Information reported for product/size: 350LB

# 15. Regulatory Information

\Chemical Inventory Status - Par Ingredient		TSCA	EC	Japan	Australia
Phosphoric Acid (7664-38-2) Water (7732-18-5)		Yes Yes	Yes	Yes	
\Chemical Inventory Status - Par	rt 2\			nada	
Ingredient		Korea	a DSL		Phil.
Phosphoric Acid (7664-38-2) Water (7732-18-5)			Yes	No No	Yes
\Federal, State & International					A 313
Ingredient	RΩ	ΨРО	T. i s	t Che	mical Cato
Phosphoric Acid (7664-38-2) Water (7732-18-5)	No	No	No		No
\Federal, State & International	Regulati	ions -		!\	
Ingredient			261.33	8	(d)
Phosphoric Acid (7664-38-2) Water (7732-18-5)			No No	No	=
hemical Weapons Convention: No TSCA 12(b): No CDTA: No ARA 311/312: Acute: Yes Chronic: No Fire: No Pressure: No eactivity: No (Pure / Liquid)					

Australian Hazchem Code: 2R

Poison Schedule: S5

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

## 16. Other Information

NFPA Ratings: Health: 3 Flammability: 0 Reactivity: 0

Label Hazard Warning:

DANGER! CORROSIVE. CAUSES SEVERE IRRITATION AND BURNS TO EVERY AREA OF CONTACT. HARMFUL IF

 $SWALLOWED\ OR\ INHALED.$ 

Label Precautions:

Do not get in eyes, on skin, or on clothing.

Keep container closed.

Use only with adequate ventilation.

Do not breathe vapor or mist.

Wash thoroughly after handling.

### Label First Aid:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Wash clothing before reuse. If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In all cases call a physician immediately.

#### **Product Use:**

Laboratory Reagent.

## **Revision Information:**

MSDS Section(s) changed since last revision of document include: 14.

Disclaimer

\*

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

\*

**Prepared by:** Environmental Health & Safety Phone Number: (314) 654-1600 (U.S.A.)