



SIGMA-ALDRICH

ALDRICH CHEMICAL COMPANY, INC.
P.O. BOX 355
MILWAUKEE, WISCONSIN 53201, USA

ATTN: SAFETY DIRECTOR
KEVIN WALSH ELECTRICAL ENG
UNIVERSITY OF LOUISVILLE
LOUISVILLE KY 40292

EMERGENCY PHONE 1-414-273-3850

DATE 05/08/97
CUST#: 312002
PO#: SP219616

M A T E R I A L S A F E T Y D A T A S H E E T PAGE 1

SECTION 1. - - - - - CHEMICAL IDENTIFICATION- - - - -

CATALOG #: 21561-9
NAME: SILICON, POWDER, -325 MESH, 99%

SECTION 2. - - - - - COMPOSITION/INFORMATION ON INGREDIENTS - - - - -

CAS #: 7440-21-3
MF: SI
EC NO: 231-130-8

SYNONYMS

DEFOAMER S-10 * SILICON (ACGIH:OSHA) * SILICON POWDER, AMORPHOUS (DOT)
* UN1346 (DOT) *

SECTION 3. - - - - - HAZARDS IDENTIFICATION - - - - -

LABEL PRECAUTIONARY STATEMENTS

FLAMMABLE (USA)
HIGHLY FLAMMABLE (EU)
IRRITANT
IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.
KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.
TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGES.
IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF
WATER AND SEEK MEDICAL ADVICE.
WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE
PROTECTION.
PROTECT FROM MOISTURE.

SECTION 4. - - - - - FIRST-AID MEASURES- - - - -

CONTAMINATION OF THE EYES SHOULD BE TREATED BY IMMEDIATE AND PROLONGED
IRRIGATION WITH COPIOUS AMOUNTS OF WATER.
IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH SOAP AND COPIOUS
AMOUNTS OF WATER.
IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL
RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS.
CALL A PHYSICIAN.
DISCARD CONTAMINATED CLOTHING AND SHOES.

SECTION 5. - - - - - FIRE FIGHTING MEASURES - - - - -



EXTINGUISHING MEDIA
DRY CHEMICAL POWDER.
DO NOT USE WATER.

SPECIAL FIREFIGHTING PROCEDURES

WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO

CONTINUED ON NEXT PAGE

We are committed to the success of our customers through science, technology and service.



ALDRICH CHEMICAL COMPANY, INC.
P.O. BOX 355
MILWAUKEE, WISCONSIN 53201, USA

CUST#: 312002
PO#: SP219616

M A T E R I A L S A F E T Y D A T A S H E E T PAGE 2

CATALOG #: 21561-9
NAME: SILICON, POWDER, -325 MESH, 99%

PREVENT CONTACT WITH SKIN AND EYES.
FLAMMABLE SOLID.

UNUSUAL FIRE AND EXPLOSIONS HAZARDS
THIS MATERIAL, LIKE MOST MATERIALS IN POWDER FORM, IS CAPABLE OF
CREATING A DUST EXPLOSION.
EMITS TOXIC FUMES UNDER FIRE CONDITIONS.
REACTS WITH WATER TO LIBERATE FLAMMABLE AND/OR EXPLOSIVE GAS.

SECTION 6. - - - - - ACCIDENTAL RELEASE MEASURES- - - - -

EVACUATE AREA.
SHUT OFF ALL SOURCES OF IGNITION.
WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY
RUBBER GLOVES.
SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL.
USE NONSPARKING TOOLS.
AVOID RAISING DUST.
VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

SECTION 7. - - - - - HANDLING AND STORAGE- - - - -

REFER TO SECTION 8.

SECTION 8. - - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION- - - - -

WEAR APPROPRIATE NIOSH/MSHA-APPROVED RESPIRATOR, CHEMICAL-RESISTANT
GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING.
SAFETY SHOWER AND EYE BATH.
USE ONLY IN A CHEMICAL FUME HOOD.
DO NOT BREATHE DUST.
AVOID ALL CONTACT.
WASH THOROUGHLY AFTER HANDLING.
IRRITANT.
KEEP TIGHTLY CLOSED.
KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME.

SECTION 9. - - - - - PHYSICAL AND CHEMICAL PROPERTIES - - - - -

APPEARANCE AND ODOR
GREY POWDER

PHYSICAL PROPERTIES
SPECIFIC GRAVITY: 2.330

SECTION 10. - - - - - STABILITY AND REACTIVITY - - - - -

INCOMPATIBILITIES
STRONG OXIDIZING AGENTS
HYDROGEN FLUORIDE
MOISTURE SENSITIVE

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS

CONTINUED ON NEXT PAGE



SIGMA-ALDRICH

ALDRICH CHEMICAL COMPANY, INC.
P.O. BOX 355
MILWAUKEE, WISCONSIN 53201, USA

CUST#: 312002
PO#: SP219616

M A T E R I A L S A F E T Y D A T A S H E E T PAGE 3

CATALOG #: 21561-9
NAME: SILICON, POWDER, -325 MESH, 99%

NATURE OF DECOMPOSITION PRODUCTS NOT KNOWN.

SECTION 11. - - - - - TOXICOLOGICAL INFORMATION - - - - -

ACUTE EFFECTS

MAY BE HARMFUL BY INHALATION, INGESTION, OR SKIN ABSORPTION.
CAUSES EYE AND SKIN IRRITATION.
MATERIAL IS IRRITATING TO MUCOUS MEMBRANES AND UPPER
RESPIRATORY TRACT.
TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND
TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.

RTECS #: VW0400000
SILICON

IRRITATION DATA
EYE-RBT 3 MG MLD

FAONAU 53A,21,74

TOXICITY DATA

ORL-RAT LD50:3160 MG/KG
ONLY SELECTED REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES
(RTECS) DATA IS PRESENTED HERE. SEE ACTUAL ENTRY IN RTECS FOR
COMPLETE INFORMATION.

FAONAU 53A,21,74

SECTION 12. - - - - - ECOLOGICAL INFORMATION - - - - -

DATA NOT YET AVAILABLE.

SECTION 13. - - - - - DISPOSAL CONSIDERATIONS - - - - -

MATERIAL IN THE ELEMENTAL STATE SHOULD BE RECOVERED FOR REUSE OR
RECYCLING.
OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION 14. - - - - - TRANSPORT INFORMATION - - - - -

CONTACT ALDRICH CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION.

SECTION 15. - - - - - REGULATORY INFORMATION - - - - -

EUROPEAN INFORMATION

HIGHLY FLAMMABLE
IRRITANT
R 36/37/38
IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.
HIGHLY FLAMMABLE

S 16
KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.
S 33
TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGES.

S 26
IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF

CONTINUED ON NEXT PAGE

869

We are committed to the success of our customers through science, technology and service.



ALDRICH CHEMICAL COMPANY, INC.
P.O. BOX 355
MILWAUKEE, WISCONSIN 53201, USA

CUST#: 312002
PO#: SP219616

M A T E R I A L S A F E T Y D A T A S H E E T P A G E 4

CATALOG #: 21561-9
NAME: SILICON, POWDER, -325 MESH, 99%

WATER AND SEEK MEDICAL ADVICE.
S 36/37/39
WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION.

REVIEWS, STANDARDS, AND REGULATIONS

OEL=MAK
ACGIH TLV-TWA 10 MG/M3, INHALABLE DUST DTLVS* TLV/BEI,96
MSHA STANDARD-AIR:TWA 10 MG/M3
DTLWS* 3,27,73
OSHA PEL (GEN INDU):8H TWA 15 MG/M3, TOTAL DUST
CFRGR 29,1910.1000,94
OSHA PEL (GEN INDU):8H TWA 5 MG/M3, RESPIRABLE FRACTION
CFRGR 29,1910.1000,94
OSHA PEL (CONSTRUC):8H TWA 15 MG/M3, TOTAL DUST
CFRGR 29,1926.55,94
OSHA PEL (CONSTRUC):8H TWA 5 MG/M3, RESPIRABLE FRACTION
CFRGR 29,1926.55,94
OSHA PEL (SHIPYARD):8H TWA 15 MG/M3, TOTAL DUST
CFRGR 29,1915.1000,93
OSHA PEL (SHIPYARD):8H TWA 5 MG/M3, RESPIRABLE FRACTION
CFRGR 29,1915.1000,93
OEL-AUSTRALIA:TWA 10 MG/M3 JAN93
OEL-BELGIUM:TWA 10 MG/M3 JAN93
OEL-DENMARK:TWA 10 MG/M3 JAN93
OEL-FRANCE:TWA 10 MG/M3 JAN93
OEL-THE NETHERLANDS:TWA 10 MG/M3 JAN93
OEL-SWITZERLAND:TWA 4 MG/M3 JAN93
OEL-UNITED KINGDOM:TWA 10 MG/M3 (TOTAL DUST) JAN93
OEL-UNITED KINGDOM:TWA 5 MG/M3 (RESP. DUST) JAN93
OEL IN BULGARIA, COLOMBIA, JORDAN, KOREA CHECK ACGIH TLV
OEL IN NEW ZEALAND, SINGAPORE, VIETNAM CHECK ACGIH TLV
NIOSH REL TO SILICON, RESPIRABLE FRACTION-AIR:10H TWA 5 MG/M3
NIOSH* DHHS #92-100,92
NIOSH REL TO SILICON, TOTAL DUST-AIR:10H TWA 10 MG/M3
NIOSH* DHHS #92-100,92
NOHS 1974: HZD 68695; NIS 48; TNF 3856; NOS 66; TNE 99138
NOES 1983: HZD X4229; NIS 1; TNF 12; NOS 5; TNE 1740; TFE 503
NOES 1983: HZD X4230; NIS 6; TNF 118; NOS 6; TNE 1962; TFE 112
NOES 1983: HZD X6495; NIS 1; TNF 19; NOS 2; TNE 2379
NOES 1983: HZD 68695; NIS 296; TNF 59062; NOS 129; TNE 693583; TFE 28164
EPA TSCA SECTION 8(B) CHEMICAL INVENTORY
EPA TSCA SECTION 8(D) UNPUBLISHED HEALTH/SAFETY STUDIES
EPA TSCA TEST SUBMISSION (TSCATS) DATA BASE, JANUARY 1997

SECTION 16. - - - - - OTHER INFORMATION - - - - -

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. ALDRICH SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH

CONTINUED ON NEXT PAGE



SIGMA-ALDRICH

ALDRICH CHEMICAL COMPANY, INC.
P.O. BOX 355
MILWAUKEE, WISCONSIN 53201, USA

CUST#: 312002
PO#: SP219616

M A T E R I A L S A F E T Y D A T A S H E E T P A G E 5

CATALOG #: ~~21561-9~~
NAME: SILICON, POWDER, -325 MESH, 99%

980 SOUTH SECOND STREET
RONKONKOMA, NEW YORK 11779-7238, USA

COPYRIGHT 1997 ALDRICH CHEMICAL CO, INC.
LICENSE GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.

871

We are committed to the success of our customers through science, technology and service.

SIGMA

Aldrich

Fluka

SUPELCO

SIGMA
LABORATORIES



SIGMA-ALDRICH