

MATERIAL SAFETY DATA SHEET MEGAPOSIT SPR 220 (0.7 - 7.0) PHOTO RESIST

30810 3.00 US Current 08.02.1999

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Code 30810

Trade Name MEGAPOSIT SPR 220 (0.7 - 7.0) PHOTO RESIST

Manufacturer/Supplier Shipley Company ---

Service of the servic

Phone Number (508) 481-7950

Emergency Phone Number (508) 481-7950 Chemtrec # (800) 424-9300

MSDS first issued 5 February 1999
MSDS data revised 8 February 1999

Prepared By: Gregory S. Dripps

Local Sales Company Shipley Company, 455 Forest Street, Marlboro, MA 01752

(508-481-7950)

COMPOSITION/INFORMATION ON THE INGREDIENTS

Components without CAS numbers are Trade Secret

Component Name CAS# / Codes Concentration

1. ethyl lactate 97-64-3 30.00 - 52.00
2. anisole 100-66-3 15.00 - 25.00
Diazo Photoactive Compound 1.00 - 10.00
Cresol Novolak Resin 14.00 - 40.00
cresol 1319-77-3 0.01 - 0.99

cresol 1319-77-3 0.01 - 0.99
2-Methyl Butyl Acetate 624-41-9 1.00 - 5.00
7. n-amyl acetate 628-63-7 2.00 - 7.00
8. Organic Siloxane Surfactant 0.01 - 0.10

HAZARD IDENTIFICATION

Main Hazards - Irritant - Combustible - Skin - Eye - Nervous System

Routes of Entry Inhalation, ingestion, eye and skin contact, absorption.

Carcinogenic Status Not considered carcinogenic by NTP, IARC and OSHA

Target Organs - Skin - Eye - Nervous System

Health Effects - Eyes Liquid or vapor may cause slight transient irritation.

Health Effects - Skin Material may cause slight irritation on prolonged or repeated

contact. Repeated or prolonged contact may produce

defatting of the skin leading to irritation and dermatitis.

Health Effects - Ingestion Swallowing may have the following effects:

- irritation of mouth, throat and digestive tract - nausea -

vomiting - diarrhea ತನ ಬಾರಣ ಅಕ್ಕಾರ್ ಎಸ್ಟರ್

alth Effects - Inhalation Exposure to vapor at high concentrations may have the

following effects:

- irritation of nose, throat and respiratory tract - dizziness -



MATERIAL SAFETY DATA SHEET

MEGAPOSIT SPR 220 (0.7 - 7.0) PHOTO RESIST

30810 3.00 US Current 08.02.1999

HAZARD IDENTIFICATION (cor	
	drowsiness - loss of coordination - headache - nausea - vomiting
A Property of the Control of the Con	The second secon
FIRST AID MEASURES	The state of the s
First Aid - Eyes	Immediately flush the eye with plenty of water for at least 15 minutes, holding the eye open. Obtain medical attention if soreness or redness persists.
First Aid - Skin	Wash skin with water. Obtain medical attention if blistering occurs or redness persists.
First Aid - Ingestion	Wash out mouth with water. Obtain medical attention.
First Aid - Inhalation	Remove from exposure. If there is difficulty in breathing, give oxygen. Seek medical attention if symptoms persist.
Advice to Physicians	Treat symptomatically.
FIRE FIGHTING MEASURES	
Extinguishing Media	Use water spray, foam, dry chemical or carbon dioxide. Kee containers and surroundings cool with water spray.
Special Fire-Fighting Procedures	This product may give rise to hazardous vapors in a fire. Vapors can travel a considerable distance to a source of ignition and result in flashback.
Unusual Fire & Explosion Hazards	Pressure may build up in closed containers with possible liberation of combustible vapors.
Protective Equipment for Fire- Fighting	Wear full protective clothing and self-contained breathing apparatus.
ACCIDENTAL RELEASE MEA	ASURES
Spill Procedures	Contain and absorb using earth, sand or other inert material Transfer into suitable containers for recovery or disposal. Finally flush area with plenty of water.
Personal Precautions	Wear appropriate protective clothing. Wear respiratory protection. Eliminate all sources of ignition.
Environmental Precautions	Prevent the material from entering drains or water courses.
HANDLING AND STORAGE	
Handling	Use local exhaust ventilation. Avoid contact with eyes, skin and clothing. Keep container tightly closed when not in use.

MATERIAL SAFETY DATA SHEET

MEGAPOSIT SPR 220 (0.7 - 7.0) PHOTO RESIST

30810 3.00 US Current 08.02.1999

HA. .DLING AND STORAGE (continued)

Storage

Store in original containers. Store away from sources of heat

or ignition. Storage area should be:

- cool - dry - well ventilated - out of direct sunlight

Other

None known.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Standards

1. ethyl lactate

None assigned.

2. cresol

ACGIH: TLV 5ppm (22mg/m3) 8h TWA. OSHA: PEL 5ppm (

22mg/m3) 8h TWA. UK EH40: OES 5ppm (22mg/m3) 8h

TWA. Can be absorbed through skin.

3. 2-Methyl Butyl Acetate

None assigned.

4. n-amyl acetate

ACGIH: TLV 100ppm (532mg/m3) 8h TWA. OSHA: PEL

100ppm (525mg/m3) 8h TWA.

ineering Control Measures

Engineering methods to prevent or control exposure are preferred. Methods include process or personnel enclosure, mechanical ventilation (local exhaust), and control of process

conditions.

Respiratory Protection

Respiratory protection if there is a risk of exposure to high vapor concentrations. The specific respirator selected must

be based on the airbome concentration found in the workplace and must not exceed the working limits of the

respirator.

Hand Protection

Butyl rubber gloves.

Eye Protection

Chemical goggles.

Body Protection

Normal work wear.

PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Liquid

Color Odor

Red Amber

VOC (g/I)

Mild Ester 605-861

Specific Gravity

1.05-1.1

pH

Neutral

ng Range/Point (°C/F)

150 / 302

rash Point (PMCC) (°C/F) 43.3-45.6 / 110-114

SHIPLEY

MATERIAL SAFETY DATA SHEET

MEGAPOSIT SPR 220 (0.7 - 7.0) PHOTO RESIST

30810 3.00 US Current 08.02.1999

PHYSICAL AND CHEMICAL PROPERTIES (continued)

Explosion Limits (%)

Solubility in Water

Vapor Density (Air = 1) Evaporation Rate

Vapor Pressure

Lower limit -2%

Insoluble.

Heavier than air. Slower than ether

Ethyl Lactate: 2.0 mmHg at 20 °C. Anisole: 9.7 mmHg at 42 °C.

Amyl Acetate (mix): 4.00 mmHg at 20 °C.

STABILITY AND REACTIVITY

Stability Stable under normal conditions.

Conditions to Avoid - High temperatures - Static discharge

Incompatibilities - Oxidizing agents - Bases - Acids

Hazardous Polymerization Will not occur.

Hazardous Decomposition - carbon monoxide - Carbon Dioxide - phenols - oxides of

nitrogen - oxides of sulfur

OXICOLOGICAL INFORMATION

Acute Data ethyl lactate: Oral LD50 (mouse) 2500mg/kg.

Anisole: Oral LD50 (rat) 3700mg/kg.

n-Amyl Acetate: Oral LD50 (rat) 16600mg/kg.

Chronic/Subchronic Data No data.

Genotoxicity No adverse effects are expected.

Reproductive/Developmental

Toxicity

roducts

No adverse reproductive or fetal developmental effects are

expected.

Additional Data None known.

ECOLOGICAL INFORMATION

Mobility No relevant studies identified.

Persistence/Degradability Ethyl Lactate: COD = 0.00166g/g.

Bio-accumulation Product is not expected to bioaccumulate.

cotoxicity Ethyl Lactate: Tests on the following species gave a 48h

EC50 of 683mg/litre:

- daphnia



MATERIAL SAFETY DATA SHE

MEGAPOSIT SPR 220 (0.7 - 7.0) PHOTO RESIST

30810 3.00 US Current 08.02.1999

DISPOSAL CONSIDERATIONS

Product Disposal

Incineration is the recommended method of disposal. Dispose of in accordance with all applicable local and national

regulations.

Container Disposal

Labels should not be removed from containers until they have been cleaned. Empty containers may contain hazardous residues. Dispose of containers with care.

TRANSPORT INFORMATION

DOT Ground:

Not Regulated per 49 CFR 173.150(f)(2)

UN Proper Shipping Name UN Class

Flammable liquid, n.o.s. (3) Flammable Liquid

UN Number

UN1993

UN Packaging Group

III

N.O.S. 1: N.O.S. 2:

ethyl lactate

Anisole

Subsidiary Risks

None.

ADR/RID Substance Identification ımber

CLASS 3 - 31(c)

ERCLA RQ

Cresol (100#)

arine Pollutant

No.

REGULATORY INFORMATION

TSCA Listed

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

TSCA Exemptions

TSCA Sec.12(b) Export

Notification

This product does not contain any substances subject to

Section 12(b) export notification.

WHMIS Classification

MA Right To Know Law

D.2.B B.3

All components have been checked for inclusion on the Massachusetts Substance List (MSL). Those components present at the de minimus concentration have been identified in the hazardous ingredients section of the MSDS.

California Proposition 65

This product does not contain materials which the State of California has found to cause cancer, birth defects or other

reproductive harm.

RA TITLE III-Section 311/312 egorization (40 CFR 370) ARA TITLE III-Section 313 (40 **JFR 372)**

Immediate, delayed, flammability hazard

This product does not contain a chemical which is listed in Section 313 at or above de minimis concentrations.



MATERIAL SAFETY DATA SHEET

MEGAPOSIT SPR 220 (0.7 - 7.0) PHOTO RESIST

30810 3.00 US Current 08.02.1999

REGULATORY INFORMATION (continued)

OTHER INFORMATION

NFPA Rating-FIRE NFPA Rating-HEALTH NFPA Rating- REACTIVITY

NFPA Rating- SPECIAL

Revisions Highlighted

Abbreviations

2 .

2 0

None.

TSCA Sec.12(b) Export Notification

Chemical Abstract Services Number CAS#:

American Conference of Governmental Industrial ACGIH:

Hygienists

Occupational Safety and Health Administration OSHA:

Threshold Limit Value TLV: Permissible Exposure Limit PEL: Short Term Exposure Limit STEL: National Toxicology Program NTP:

International Agency for Research on Cancer IARC:

Risk R: Safety S:

Lethal Dose 50% LD50:

Lethal Concentration 50% LC50: Biological Oxygen Demand BOD:

Soil Organic Carbon Partition Coefficient. Koc:

Median Tolerance Limit TLm:

Disclaimer

The data contained herein is based on information that Shipley Company believes to be reliable, but no expressed or implied warranty is made with regard to the accuracy of such data or its suitability for a given situation. Such data relates only to the specific product described and not to such products in combination with any other product and no agent of Shipley Company is authorized to vary any of such data. Shipley Company and its agents disclaim all liability for any action taken or foregone on reliance upon such data.